### THE GUIDE

Vol. 12



# DICE COLLECTION



internationalcatering.com.au



"Don't watch the clock; do what it does. Keep going." - Sam Levenson

"The secret of getting ahead is getting started." - Mark Twain

"Motivation will almost always beat mere talent." - Norman Ralph Augustine

"I attribute my success to this: I never gave or took any excuse." - Florence Nightengale

"Well done is better than well said." - Benjamin Franklin

"You miss 100% of the shots you don't take." - Wayne Gretzky

"A goal is a dream with a deadline." - Napolean Hill

"If you're offered a seat on a rocket ship, don't ask what seat! Just get on." - **Sheryl Sandberg** 

"You can't build a reputation on what you are going to do." - Henry Ford

"Fall down seven times and stand up eight." - Proverb

"Success is never final. Failure is never fatal. It is courage that counts." - Winston Churchill

"There is little success where there is little laughter." - Andrew Carnegie

"We cannot solve our problems with the same thinking we used when we created them."

#### -Albert Einstein





#### Introduction

With over 18 years of experience in the Australian market, ICE is the proud provider of superior quality, good value, commercial products, to the commercial kitchen industry throughout Australia.

We endorse, stock and support many premium quality brands from 11 different countries. These brands carry fully recognised international warranties, which are backed by our significant investment in spare parts and accessories. By using our well established national dealer network, we are able to offer national supply of equipment and spare parts within a maximum of 5 working days to any city in Australia.

#### **Sales**

Our experienced and knowledgeable sales team are able to assist you with all product related enquiries. Our showroom located at our Sydney head office in Rosebery, has all our products on display. We are also able to offer live demonstrations in order to establish if a particular piece of equipment is suitable for a specific requirement.



#### Warehousing and logistics

All stock is stored in our Sydney warehouse, and using our well established network of courier companies, we are able to offer overnight deliveries to Canberra, Melbourne and Brisbane, and 2 day delivery times to Adelaide.

Due to the high freight costs and relatively low dollar value, we now stock the single and two door drink fridges (DFS Series) in warehouses in Adelaide, Brisbane and Melbourne. These are available for pick up with no freight charge, or can be delivered for a nominal local freight rate.

#### Using the catalogue

We have divided the catalogue into 7 sections, each one with its own colour coded pages, to make it easy to find a product. Products may differ slightly from the pictures in the catalogue. Outputs and capacities given are generally the maximum possible, and these can vary depending on operating circumstances.



#### **Dimensions**

All dimensions are listed in order of width, depth and height. While every effort is made to ensure that dimensions are accurate, errors can occur, or suppliers could change their specifications. For products where fabrication is required, we suggest you contact our office to confirm dimensions, or request the CAD drawing which is now available for most products.





#### **New Products**

We have added a few new products to compliment the range we offer. These are highlighted in the book and a few of them are shown on the right. Our new glass door, stainless steel body, fridge and freezer from Inomak are an exciting addition and very competitively priced.



#### **SECTION 1** Countertop Cooking Equipment

	Position Control Position Pillod Consults	ANIVITI AVIC	
	Panini Press Single, Double, Ribbed & Smooth Conveyor Toasters		
	Conveyor Pizza Oven		
	Griddle Plates		
	Sandwich Press Electric		
	Fryers		
	Waffle Bakers		
	Induction Cookers		
	Induction Warmer		
	Convection Ovens		
	Convection Oven		
	Proving Cabinet		
	Pizza Oven		
	Stands for Ovens		
	Chicken Rotisserie		
	Stove Top Electric		
	Heat Lamps		
	Salamander		
	Pie Warmers		
	Multi Function Warmer		
SECTION 2	Food Preparation		
	Slicers		13
	Spiral Mixers		
	Fork Mixers		
	Pastry Sheeter		
	Dough Rollers		
	Mincers & Tomato Squeezer		
	Heavy Duty Mincer		
	Food Processor		
	Planetary Mixers		
	Cutters		
	Sausage Fillers		
	Citrus Juicer		
	Tilting Blender		
	Biltong Cabinets		
	Benchtop Dehydrator		
SECTION 3	Blenders		
	Rio Bar Blender – Polycarbonate	HAMILTON BEACH	24
	Rio Bar Blender – Stainless Steel		
	Tempest Ice Blender	HAMILTON BEACH	24
	Tempest Food Blender		
	Eclipse Blender		
	Summit Blender		
	Spare Jugs		
	Quiet Shield		
	Milkshake Mixers		
	Cream Guns		
	Cream Chargers		
	•		
	Soda Chargers		2/

SECTION 4	Trolleys		
	Trolley Stainless Steel		28
	Grill Scrapers		
	Tapware		29
SECTION 5	Ware Washing		
	Undercounter Glass Washer	ADLER	30
	Undercounter Dishwasher	ADLER	30
	Passthrough Dishwasher	ADLER	3
	Undercounter Top Line	ADLER	3
SECTION 6	Refrigeration		
	Upright Stainless Steel Split Door Refrigerator	SALTAS	37
	Upright Stainless Steel Split Door Freezer		
	Undercounter Fridges		
	Undercounter Freezers		
	Upright Glass Door Refrigerator	SALTAS	30
	Refrigerated Ingredient Unit		
	Granita Machines		
	Blast Chillers		
	Dry Ageing Cabinet		
	Gelato Storage Cabinet		
	Retarder Prover		
	Upright Fridges Single & Double Door		
	Upright Freezers Single & Double Door		
	Patisserie Kit		
	Glass Door Fridges		
	Glass Door Freezers		
	Display Fridges & Freezers Single & Double Door .		
	Display Fridges and Freezers Triple Door		
	Underbar Drawer Fridges		
	Underbars, Glass & Steel Doors		
	Pizza Bars		
	Additional Shelves for Underbars		
	Castors for Underbars & Pizza Bars		
	Under Bench Fridges & Freezers (single doors)		
	Countertop Ingredient Fridge		
	Countertop Ice Cream Freezer		
	Sushi Display		
	Cake Display Hot & Cold Vertical		
	Cake Display Hot & Cold Curved		
	Cake Display Hot & Cold (1350mm High)		
	Juice Dispensers		
	Cake Display 4 Tier Cold Vertical (1500mm High)		
	Countertop Showcase Hot & Cold		
	Ice Cream Machines		
SECTION 7		110330	o
SECTION 7	Vacuum Sealers & Bags		
	Vacuum Sealers		
	Vacuum Bags	ORVFD	60





PANINI PRESS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	TSS2000	Panini Press – Single ribbed top / flat bottom • Manufacturer Code: GH-811PD-MKS	240V	2.2kW	410 x 378 x 205 including handle	22kg	\$ 495.00
*	TSS2001	Panini Press – Single flat top / flat bottom • Cooking surface 340mm x 225mm • Manufacturer Code: GH-811PB-MKS	240V	2.2kW	410 x 378 x 205 including handle	22kg	\$ 495.00
CHINA							
	TSS3000	Panini Press – Double ribbed top / flat bottom  • Cooking surface 480mm x 225mm • Independent heat controls for each side  • Spring loaded top plate to suit any food thickness  • Heat resistant handle  • Heavy duty cast iron plates • Self balancing top plate • Stainless steel body  • Thermostatically controlled heat up to 300°C  • Removable drip tray  • Height clearance when open 520mm  • Manufacturer Code: GH-813C-MKS	240V	3.08kW 15A	570 x 378 x 205 including handle	35kg	\$ 895.00
*) CHI NA	TSS3001	Panini Press – Double flat top / flat bottom • Manufacturer Code: GH-813D-MKS	240V	3.08kW 15A	570 x 378 x 205 including handle	35kg	\$ 895.00

#### **CONVEYOR TOASTER**






## GRIDDLES & TOASTERS ICE



List Price

SANDWICH PRESS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
SOUTH AFRICA	TSA1009	Sandwich Press Flat Plate  Cast aluminium plates For toasted sandwiches Can be used for grilling burgers, tomatoes, etc Cooking surface: 330 x 355mm Adjustable lid prevents squashing of thick sandwiches and foccacias Manufacturer Code: TSA1309-ICE	240V	2.2kW	355 x 466 x 327	14kg	\$ 495.00

#### **CONVEYOR PIZZA OVEN**



Both models supplied without plug. Needs to be installed by an electrician.

#### **GRIDDLE PLATE ELECTRIC**

CHINA

SOUTH AFRICA	FTA0400	Griddle Flat Top 400mm  High output for busy kitchens Heavy duty 10mm thick cooking surface for high heat retention Fast start-up to cooking temperatures Maintenance is easier with bottom-mounted grease collection pan Top splash guard protects against kitchen "wear & tear" Griddle plate is fully welded to base Cooking surface: 355 x 420mm Manufacturer Code: FTA0400-ICE	240V	2kW	373 x 532 x 241	20kg	\$ 395.00
SOUTH AFRICA	FTA0600	Griddle Flat Top 600mm  High output for busy kitchens Heavy duty 10mm thick cooking surface for high heat retention Fast start-up to cooking temperatures Maintenance is easier with bottom-mounted grease collection pan Top splash guard protects against kitchen "wear & tear" Griddle plate is fully welded to base Cooking surface: 610 x 420mm Manufacturer Code: FTA0600-ICE	240V	3kW 15 Amp	623 x 532 x 241	32kg	\$ 580.00





FRYER DEEP FAT ELECTRIC	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
SOUTH AFRICA	FFA0001	Fryer Deep Fat Single Pan  Reset switch and extra safety thermostat  Hinged element box for easy lifting of elements  Removable stainless steel tank with carrying handles for easy cleaning  5lt oil capacity  Complete with night lid  Manufacturer Code: FFA2001-ICE	240V	2.4kW	282 x 470 x 278	7kg	\$ 345.00
SOUTH AFRICA	FFA0002	Fryer Deep Fat Double Pan  Reset switch and extra safety thermostat  Hinged element box for easy lifting of elements  Removable stainless steel tank with carrying handles for easy cleaning  Allows for separation of foods and allows flexible and economical use. i.e. use both pans when busy and only one when quiet  2 x 5lt oil capacity  Complete with night lids  Manufacturer Code: FFA2002-ICE	240V	2 x 2.4kW	573 x 470 x 278	12kg	\$ 690.00

#### **WAFFLE BAKERS**

	WBA1001	Waffle Baker – Belgian Single	240V	1kW	255 x 515 x 286	8kg	\$ 895.00
CHINA		<ul> <li>2 x 500w high power heating elements</li> <li>Programmable heat and time settings</li> <li>Stainless steel construction</li> <li>Digital display</li> <li>Timer alarm with buzzer</li> <li>180° Rotating plates</li> <li>Manufacturer Code: WB-03</li> </ul>					
	WBA1002	Waffle Baker – Belgian Double  • 4 x 500w high power heating	240V	2kW	520 x 530 x 286	17kg	\$1695.00
H		elements • Programmable heat and time					
		settings • Stainless steel construction					
		<ul><li>Digital display</li><li>Timer alarm with buzzer</li></ul>					
		<ul><li>180° Rotating plates</li><li>Manufacturer Code: WB-03-2</li></ul>					
CHINA *:							



## INDUCTION COOKERS ICE

#### **INDUCTION List Price** Model Voltage Unit Size (mm) **Product Description Power** Kg excl GST **COOKER** ICK3500 Schott Ceran - German 240V 3.1kW 375 x 420 x 172 7.5kg \$ 450.00 Glass Top 15A • Cooking circle: 250mm • Temp. range: 60°C - 240°C • Electronic overheat protection • Suitable for any magnetic based cooking pots • Instant heat saves power during quiet periods • Timer, LED Display (0-180 mins) Manufacturer Code: IC-350B-BT(003) CHINA

#### **INDUCTION WARMER/COOKER**

	ICW2000	Induction Warmer/Cooker, 2kW (10amp)	240V	0.5kW- 2kW	330 x 383 x 66	4.5kg	\$250.00
*		Perfect for use in place of chaffing fuel. For use with chaffing dishes, for chocolate tempering, keeping sauces warm or any other warming application Schott Ceran hob Stainless steel framed body Touch control, safety lock Timer, LED display (0-180 minutes) 1-10 power levels 1-10 temperature setting Temperature range: 60°C-240°C Electronic overheating protection Manufacturer Code: IDC-SC2000		ZKW			
CHINA							

#### **DROP IN INDUCTION WARMER/COOKER**


*	ICK3501	In-Counter Induction  Powerful 3.5Kw  Temperature range 60°-240°C  Electoronic overheat protection  Stainless steel body and frame, metal bottom  Touch panel and control knob adjustments (below or above counter)  Manufacturer Code: IC-350TA	240V	3.5kW 15A	360 x 380 x 125 Size of cut-out 330W x 350D	7kg	\$595.00
CHINA							





							,
CONVECTION OVENS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	C0A1003	Convection Oven – Prima  10A Ideal for caterers  4 shelves supplied as standard  Cooking chamber size:  460 x 370 x 350mm  Shelf size: 440 x 320mm  Timer and bake function  Interior light  Heat setting: 65°C - 300°C  Dual fan system for even heat distribution  Manufacturer Code: COA1003-ICE	240V	2.4kW	595 x 622 x 590	41kg	\$1200.00
SOUTH AFRICA	C0A1004	Convection Oven – Prima Pro with grill function  • 10A Ideal for caterers  • 4 shelves supplied as standard  • Cooking chamber size:  460 x 370 x 325mm  • Shelf size: 440 x 320mm  • Timer, grill and bake function  • Interior light  • Heat setting: 65°C - 300°C  • Dual fan system for even heat distribution  • Grill and Bake functions cannot be used simultaneously  • Manufacturer Code: COA1004-ICE	240V	2.4kW	595 x 622 x 590	42kg	\$1300.00
SOUTH AFRICA	COA1005	Convection Oven – Grande Forni  15A power  St/steel interior and exterior  Manual steam injection for humidity, which allows browning of pastry and bread products  industrial heavy-duty reversing fan motors  - 2-hour timer with bypass  Interior light  Cooking chamber size:  700 x 495 x 355mm  Takes 4 full size gastronorm pans or 4 baking trays (600 x 400mm)  4 shelves supplied as standard  Manufacturer Code: COA1005-ICE	240V	3.2kW 15A	835 x 759 x 590	70kg	\$2850.00

#### **PROVING CABINET**



#### **PIZZA OVEN**

P	P0A1001	Pizza Oven	240V	2.85kW	588 x 645 x 468	40kg	\$ 1250.00
SOUTH AFRICA		2 decks with ceramic tile bases     Dimensions of ceramic tile: 450 x     445 x 16mm     Clearance height each shelf: 75mm     15 minute audible timer     Temperature 340°C maximum     Stainless steel interior and exterior     Manufacturer Code: POA1001-ICE	15A			·	





**List Price** 

excl GST

\$ 350.00

\$ 395.00

Kg


#### STANDS FOR OVENS



Model

**Product Description** 

#### **CHICKEN ROTISSERIE**



Voltage

**Power** 

Unit Size (mm)

600 x 540 x 900

845 x 650 x 900

#### **STOVE TOP ELECTRIC**

	STA0001	Single Boiling Top  • Plate diameter - 230mm  • Manufacturer Code: STA0001-ICE	240V	2kW	333 x 508 x 225	8kg	\$ 295.00
SOUTH AFRICA	STA0002	Double Boiling Top  For hygienic boiling and simmering, 'Anvil' hot plates are built with safety in mind Rapid heat-up time Six stage heat switch for simmering and boiling Rear splash guard prevents blockage of ventilation slots Diameter of plates: Small - 190mm Large - 230mm Manufacturer Code: STA0002-ICE	240V	3.2kW 15amp (2kW & 1.2kW)	580 x 508 x 225	12kg	\$ 385.00



#### **LAMPS & WARMERS**

HEAT LAMPS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	HLS1250	Heat Lamp Henri     Modern aluminium design     Length adjustable: 60 - 130cm     Teflon coated 275w "Sylvania" globe protects food if glass shatters     Standard E27 screw in fitting globe     On/off switch on lamp shade     Shade diameter: 190mm     Manufacturer Code: 172-6010	240V	0.25kW		0.7kg	\$ 450.00
ITALY	HLS2250	Heat Lamp Bonnie  Copper finish Specs as above (see Heat Lamp Henri) Shade diameter: 225mm Manufacturer Code: 172-6005	240V	0.25kW		1.1kg	\$ 550.00
ITALY	HLS3250	Heat Lamp Clyde  Chrome finish  Specs as above (see Heat Lamp Henri)  Shade diameter: 225mm  Manufacturer Code: 172-6000	240V	0.25kW		1.1kg	\$ 550.00

#### **ECONOMY MODEL HEAT LAMP**




HLK0001	Heat Lamp – Rannio	240V	0.25kW	0.97kg	\$ 225.00
	Silver grey powder coated finish Length adjustable: 300 - 1800mm Teflon coated 250w globe protects food if glass shatters Standard E27 screw in fitting globe On/off switch on lamp shade Shade diameter: 225mm Manufacturer Code: HLT02-S2				

#### **HEAT STRIP**




	SLE0600	Heat Lamp	240V	0.5kW	600 x 166 x 70	3kg	\$ 320.00
1000		Single steel element     Coverage 220mm wide at 300mm high					
	SLE1000	Heat Lamp	240V	1.0kW	1000 x 166 x 70	4kg	\$ 350.00
	SLE1200	Heat Lamp	240V	1.1kW	1200 x 166 x 70	5kg	\$ 440.00
	SLE1500	Heat Lamp	240V	1.4kW	1500 x 166 x 70	6kg	\$ 480.00

#### **HEAT & LIGHT STRIPS**





	HEAT LAMPS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	V Y	HLH0320B Black	Silver or Copper	240V	0.25kW	250H x 170D	0.9kg	\$ 240.00
14		HLH0320S Silver	<ul><li>Teflon coated globe</li><li>Adjustable from 600mm to</li><li>1.3metres</li></ul>					
	CHIA	HLH0320G Gold/ Copper	Coverage 320mm at 400mm above product					
	THE PERSON NAMED IN COLUMN 1	HLH0440B Black	<b>Bella</b> Heat Lamp – Black, Silver or Copper	240V	0.25kW	250H x 279D	0.9kg	\$ 280.00
U		HLH0440S Silver	<ul> <li>Teflon coated globe</li> <li>Adjustable from 600mm to 1.3metres</li> </ul>					
	CHINA	HLH0440G Gold/ Copper	Coverage 440mm at 400mm above product					
		HLH0560B Black	<b>Connie</b> Heat Lamp – Black, Silver or Copper	240V	0.25kW	250H x 267D	0.9kg	\$ 280.00
V		HLH0560S Silver	<ul> <li>Teflon coated globe</li> <li>Adjustable from 600mm to 1.3metres</li> </ul>					
	CHINA	HLH0560G Gold/ Copper	Coverage 560mm at 400mm above product					
	Y	HLH0320R Red	Sue Heat Lamp – Red  • Teflon coated globe	240V	0.25kW	250H x 170D	0.9kg	\$ 240.00
W	*3		Adjustable from 600mm to     1.3metres     Coverage 320mm at 400mm above product					
	CHINA	XHLH0001	Spare Teflon Coated Globe		250W			\$ 16.00
			Teflon coated 250w globe protects food if glass shatters		230			, 25.50
			Teflon coated 250w globe		23011			









**@**ADDIC

AIRE


#### **MULTI-FUNCTION WARMER**



#### **SALAMANDER**



#### **PIE WARMER**







List Price

#### SLICERS – BELT DRIVEN

BELT DRIVEN		, , ,	J.		,		excl GST
ITALY	SLL0195	Slicer 195mm Domestic  Removable sharpener  Domestic or light commercial use only  1 year warranty for domestic use  3 month commercial warranty  Made in Italy  Manufacturer Code: 90318	240V	0.11kW	300 x 430 x 292	11kg	\$ 440.00

Voltage Power


**Product Description** 

#### **SLICERS - BELT DRIVEN**

Model



Unit Size (mm)



#### **HEAVY DUTY SLICER**









#### **FIXED HEAD FIXED BOWL MIXER**

2	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	CMMOOOF	E. III. IE. ID. I	0.4014	0.07114	5/0 050 507	201	¢4050.00
	SMM0005	Fixed Head Fixed Bowl  5 kg finished product  3 kg dry flour  Bowl 7 Lt  Bowl, hook, shaft and safety guard all stainless steel  Single phase / single speed  Bowl speed 10rpm  Spiral speed 100rpm  Manufacturer Code: PK5M	240V	0.37kW	540 x 260 x 527 Bowl Size 237 x 160	33kg	\$1350.00



#### TILTING HEAD REMOVARI F ROWI

ILTING HEAD REM	OVABLI	E BOWL 2 YEAR PAR	TS & L/	ABOUR V	WARRANTY		
	SMM0018	15kg finished product     10kg dry flour     Bowl 20Lt / Timer     Bowl, hook, shaft all stainless steel     Single phase / single speed     Supplied with castors     Bowl speed 10rpm     Spiral speed 100rpm     Manufacturer Code: PK18AM	240V	0.9kW	700 x 390 x 702 Bowl Size 360 x 210	65kg	\$2750.00
	SMM0025	20kg finished product     12.5kg dry flour     Bowl 33Lt / Timer     Bowl, hook, shaft all stainless steel     Single phase / single speed     Supplied with castors     Bowl speed 10rpm     Spiral speed 100rpm     Manufacturer Code: PK25AM	240V	1.1kW	770 x 430 x 790 Bowl Size 400 x 260	95kg	\$3295.00
	SMM0044	38kg finished product     25kg dry flour     Bowl 50Lt / Timer     Bowl, hook, shaft all stainless steel     Single phase / single speed     Supplied with castors     Bowl speed 10rpm     Spiral speed 100rpm     Manufacturer Code: PK44AM	240V	1.5kW	860 x 530 x 790 Bowl Size 500 x 270	110kg	\$3995.00
TALY	SMM1044	38kg finished product     25kg dry flour     Bowl 50Lt / Timer     Bowl, hook, shaft all stainless steel     3 phase 2 speed     Supplied with castors     Bowl speed: 1: 10rpm 2: 20rpm     Spiral speed: 1: 100rpm 2: 200rpm     Manufacturer Code: PK44AD	400V	1.5/2.2kW	860 x 550 x 790 Bowl Size 500 x 270	140kg	\$4150.00



#### FIXED HEAD – FIXED BOWL ECONOMY MODEL 2 YEAR PARTS & LABOUR WARRANTY

SMM9925 Economy Pizza Model

• Fixed head/bowl

• Bowl 33Lt / Timer

• 20kg finished product • 12.5kg dry flour

• Supplied with castors • Bowl speed 10rpm • Spiral speed 100rpm • Manufacturer Code: IM25

#### 240V 1.1kW 762 x 430 x 770 \$2750.00 **Bowl Size** 400 x 260 • Bowl, hook, shaft all stainless steel











#### **FORKED KNEADING**

Forked Kneading is particularly suited to making soft dough (for Naples style pizza). The shape of the tool and bowl allow the dough to be thoroughly mixed and well oxygenated (aerated), without heating the dough.

FORKED MIXERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	SMF0025 Bowl 10rpm Fork 30rpm	Forked Mixer  • All rotating parts on ball bearings  • Stainless steel frame  • Single phase single speed  • 30Lt bowl  • 25kg finished dough  • 15kg bag of flour  • Manufacturer Code FC25M	240V	1.1kW	870 x 560 x 890	140kg	\$6250.00
	SMF0035  Bowl Low 6rpm High 10rpm Fork Low 20rpm High 30rpm	Forked Mixer  • All rotating parts on ball bearings  • Stainless steel frame  • 3 phase 2 speed  • 40Lt bowl  • 35kg finished product  • 20kg bag of flour  • Manufacturer Code FC35D	400V 3 Phase	0.75kW/ 1.1kW	885 x 590 x 890	145kg	\$7500.00
ITALY	SMF0080 Bowl Low 6rpm High 10rpm Fork Low 20rpm High 30rpm	Forked Mixer  • All rotating parts on ball bearings  • Stainless steel frame  • 3 phase 2 speed  • 93Lt bowl  • 80kg finished product  • 50kg dry flour (2 bags)  • Manufacturer Code FC80D	400V 3 Phase	1.1kW/ 1.5kW	1025 x 1110 x 744	290kg	\$15995.00

#### **PASTRY SHEETER - BENCH TOP**







Model	Cylinders Length	Table Length	Belt Speed	Volts	Power	Weight	
SB500P-70	500mm	700mm	Variable	230/50/1	0.55kW	160kg	

Model		Dimensions mm									
Model	Α	В	С	D	E	F	G				
SB500-70	500	700	1520	-	380	700	920				







#### **ALL ROLLERS NOW SUPPLIED WITH FOOT PEDAL**

DOUGH ROLLERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	DRM0031	Single Pass Dough Roller  • Dough portions of 80g - 210g  • Includes foot pedal  • Safety guard  • Stainless steel body  • Manufacturer Code DL30M	240V	0.375kW 0.5hp	420 x 450 x 350	27kg	\$1195.00
ITALY	DRM0030	Dough Roller 30cm  • Dough portions of 80g - 210g  • Includes foot pedal  • Safety guards  • Stainless steel body  • Manufacturer Code DL30	240V	0.375kW 0.5hp	420 x 450 x 650	35kg	\$1595.00
ITALY	DRM0040	Dough Roller 40cm  • Dough portions of 80g - 400g  • Includes foot pedal  • Safety guards  • Stainless steel body  • Manufacturer Code DL40	240V	0.375kW 0.5hp	520 x 450 x 712	45kg	\$1995.00
ITALY	DRM1040	Dough Roller 40cm parallel  Dough portions of 100g - 700g  Includes foot pedal Safety guards Stainless steel body Manufacturer Code DL40P	240V	0.375kW 0.5hp	520 x 450 x 750	45kg	\$1995.00

#### **FOOT PEDAL**

DRA0001	Foot Pedal			\$ 150.00
	Suits all above rollers			





MINCER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	MNS0008 MPE0804 MPE0808 MNF8010 MNF8020	Meat Mincer - No. 8  Capacity approx. 20kg per hour Supplied with 6mm plate 4.5mm plate 8mm plate 10mm sausage funnel 20mm sausage funnel Manufacturer Code: 11850Y/I	240V	0.3kW	320 x 200 x 430	10kg	\$ 440.00 \$ 15.00 \$ 15.00 \$ 8.00 \$ 8.00

#### **TOMATO SQUEEZER ATTACHMENT**

ALIE CA	TSE1004	Tomato Squeezer Attachment	N/A	N/A	280 x 365 x 340	5kg	\$ 220.00
		To suit above mincer     Manufacturer Code: 17430/I					
		,					
ITALY							


#### **MINCER - HEAVY DUTY**





0012	Heavy Duty Mincer  • Aluminium safety guard  • 200kg per hour capacity  • Supplied with sausage filler funnel  • Supplied with 3.1mm, 4.8mm, 6.2mm and 9.5mm plates  • Supplied with 4 knives: 2 x 3 blade, 1 x 2 blade and 1 x 4 blade  • Forward and reverse functions  • Allow to cool after 1 hour of continuous use  • Manufacturer Code: TS-8241-EXA	240V	0.56kW 0.75hp	600 x 260 x 310	23kg	\$825.00

#### **MEAT MINCER**





#### **PROCESSOR & BLADES**



'ANVIL' FOOD PROCESSOR	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	FPA0001	Food Processor  • Extra heavy duty construction • Fitted with safety micro switches in the handle and lid • 385 rpm motor • Ideal for high volume applications such as pizza shops, etc • Specially designed to process 300 - 400kg of product (including cheese) per hour • Price includes choice of any 2	240V	0.375kW	590 x 250 x 440	25kg	\$ 1850.00

blades

Manufacturer Code: PAIE

#### **FOOD PROCESSOR BLADES**

FOOD	PROCESSOR B	LADES			
		FPE0001	Veg/Cut Plate - Slicing 1mm (E1)		\$ 140.00
		FPE0003	Veg/Cut Plate - Slicing 3mm (E3)		
		FPE0005	Veg/Cut Plate - Slicing 5mm (E5)		
BRAZIL	TARREST TO	FPE0010	Veg/Cut Plate - Slicing 10mm (E10)		
	1. 3	FPZ0003	Veg/Cut Plate - Shredding 3mm (Z3)		\$ 140.00
	****** 6 33333°	FPZ0005	Veg/Cut Plate - Shredding 5mm (Z5)		
BRAZIL		FPZ0008	Veg/Cut Plate - Shredding 8mm (Z8)		
		FPW0002	Veg/Cut Plate - Crinkle Cut 2mm (W2)		\$ 140.00
BRAZIL		FPW0004	Veg/Cut Plate - Crinkle Cut 4mm (W4)		
BRAZIL		FPV0001	Veg/Cut Plate - Parmesan (V)		\$ 140.00
		FPH0003	Veg/Cut Plate - Julienne 3mm (H3)		\$ 140.00
BRAZIL		FPH0007	Veg/Cut Plate - Julienne 7mm (H7)		
BRAZIL		FPM0001	Veg/Cut Plate - Chipping Grid 10mm (M10)	This grid has to be used together with an 'E' slicing blade	\$ 165.00
		FPD0008	Veg/Cut Plate - Cubing Grid 8mm (G8)	These grids have to be used together with	\$ 165.00
	?	FPD0012	Veg/Cut Plate - Cubing Grid 12mm (G12)	an 'E' slicing blade	
BRAZIL	The same of	FPD0016	Veg/Cut Plate - Cubing Grid 16mm (G16)		




## PLANETARY MIXERS ICE

#### List Price Voltage Unit Size (mm) Model **Product Description** Power Kg **10 QUART** excl GST 650W PMA1010 10 Quart Mixer with Timer 240V 350 x 450 x 530 22kg \$ 1095.00 • 5 fixed speeds • 0.8Hp air cooled motor • Direct drive gear driven trans. • Long life gear box Grease packed ball bearing • Guard fitted w. safety micro-switch • Gears and shafts made of heat treated alloy steel • 3 attachments supplied: whisk, hook and paddle • VOLUME GUIDE: Mashed Potatoes: 1.5kg Waffle/Pancake Mix: 2lt Pound Cake Mix: 2.5kg Bread/Roll Dough: 1.3kg (800g flour) (500mL water) • Speeds: 158/242/289/358/405 rpm

Manufacturer Code: GM-10AR

#### **20 QUART**

TAIWAN



#### **40 QUART**


	PMA1040	40 Quart Mixer with Timer	240V	1.125kW	610 x 660 x 1270	238kg	\$ 5500.00
TAIWAN		3 fixed speeds with easy speed shifting     Powerful 1.5HP air cooled motor     Direct drive 100% gear driven transmission     Safety guard stainless steel     1.5HP motor     3 attachments supplied: whisk, hook and paddle     VOLUME GUIDE     Mashed Potatoes: 13kg     Waffle/Pancake Mix: 16lt     Pound Cake Mix: 20kg     Bread/Roll Dough: 10kg     Speeds: 127/261/478 rpm     Manufacturer Code: GM-40SAT-3					





TOMATO SLICER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	NTS0045	Easy Tomato Slicer 4.5mm  Save time, labour & workspace  60% less space than others  Razor sharp blades cut with trouble free precision  Unique self-lubricating track material that resists misalignment problems that cause nicks and broken blades  Manufacturer Code: 55600-1	N/A	N/A	360 x 160 x 170	4kg	\$ 399.00
	NTS0060	Easy Tomato Slicer 6mm • Manufacturer Code: 55600-2					\$ 399.00
	XNTS4661	Spare Blade for 4.5mm 13 Wires  • Manufacturer Code: 466-1					\$ 82.50
USA	XNTS4662	Spare Blade for 6mm 10 Wires  • Manufacturer Code: 466-2					\$ 82.50

#### **SCOOPER**



#### **SLICER**

	NES0001	Easy Slicer	N/A	N/A	280 x 200 x 400	4kg	\$ 685.00
		The one slicer you need to make fast, easy work of fruits and veg Unique adjustable blade provides full range of slicing options from 1.6mm to 12.7mm in thickness Manufacturer Code: 55200AN					
USA	NES1001	Portable Base Table • Suits Easy Slicer NES0001 • Manufacturer Code: 55816	N/A	N/A	500 x 340 x 60	3kg	\$ 220.00

#### **CHOPPER**

	NEC0002	Easy Chopper II  • 3/8" x 3/8" (9mm x 9mm) square cut  • Manufacturer Code: 56500-2	N/A	N/A	250 x 250 x 512	4kg	\$ 450.00
	NEC0003	• 1/2" x 1/2" (12mm x 12mm) square cut • Manufacturer Code: 56500-3	N/A	N/A		4kg	\$ 450.00
USA	NEC0004	• 1/4" x 1/4" (6mm x 6mm) square cut • Manufacturer Code: 56500-1	N/A	N/A		4kg	\$ 450.00




## cutting tools ice

GRIDDLE SCRAPER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	NEG0001	Easy Griddle Scraper  Ergonomically designed to put more pressure on the blade with less effort.  Heavy duty cast aluminium body, stainless steel blades  Manufacturer's Code 55825	N/A	N/A	400 x 150 x 100	2kg	\$85.00
	XNEG55607-6	Spare Blades – 6 Pack					\$ 39.00

#### LETTUCE CUTTER

LETTOCE COTTER							
	NEL0001	Easy Lettuce Cutter  • 3/8" (9mm) slices  • Clean cut prevents lettuce browning on the edges  • No crushing or bruising of product  • Manufacturer's Code 55650-C5	N/A	N/A	325 x 450 x 500	8kg	\$ 850.00
	NEL0002	Easy Lettuce Cutter • 1/2" (12mm) x 1/2" (12mm) square cut • Manufacturer's Code 55650-3	N/A	N/A	325 x 450 x 500	8kg	\$ 850.00

#### **ONION SLICER**



#### **WEDGER**

1 1	NEW0006	6 Section Wedger	N/A	N/A	200 x 200 x 480	2kg	\$ 285.00
		<ul> <li>Perfect for food and beverage operations</li> <li>Cuts perfect wedges every time</li> <li>Saves labour</li> <li>Will not bruise product</li> <li>Works with lemons, lime, oranges, potatoes, zucchini, tomatoes, etc.</li> <li>Manufacturer Code: 5555-6</li> </ul>					
	NEW0008	8 Section Wedger • Manufacturer Code: 5555-8	N/A	N/A	200 x 200 x 480	2kg	\$ 285.00
USA	NEW0010	10 Section Wedger • Manufacturer Code: 5555-10	N/A	N/A	200 x 200 x 480	2kg	\$ 285.00





### **'SKYMSEN' CITRUS JUICER**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CES0001	Citrus Juicer  1750 rpm motor  2 size reamers supplied:  - Small - to suit lemons, limes  - Large - to suit oranges, grapefruit  Manufacturer Code: EXI	240V	0.18kW	195 x 340 x 380	5kg	\$ 350.00

#### **TILTING BLENDER**

LQS002	Blender 25Lt     Suitable for all types of foods: soups, sauces, ice cream, juices, etc.     3500 rpm     304 stainless steel container     Blender tilts past 90° to easily pour out contents     Manufacturer Code: LAR-25	240V	0.73kW 1hp	350 x 600 x 1200	22kg	\$ 1500.00
--------	--	------	---------------	------------------	------	------------

#### **SAUSAGE FILLERS**



ITALY	SFT0005	5lt Sausage Filler  • Stainless steel cylinder  • Gear rack in carbon steel  • Aluminium gear block with self lubricating bushes  • Silicon gasket  • Supplied with 10, 20 and 30mm funnels  • Manufacturer Code: 20000	N/A	N/A	520 x 210 x 160	7kg	\$ 365.00
ITALY	SFT0008	7lt Sausage Filler  • Stainless steel cylinder  • Gear rack in carbon steel  • Aluminium gear block with self lubricating bushes  • Silicon gasket  • Supplied with 10, 20 and 30mm funnels  • Manufacturer Code: 20100	N/A	N/A	635 x 210 x 160	9kg	\$ 395.00



## DEHYDRATING / BILTONG CABINETS ICE



DEHYDRATING / BILTONG CABINETS

DEHYDRATING / BILTONG CABINETS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
SOUTH AFRICA	BCA0001	Biltong Cabinet – Small  NEW full stainless steel body Preset temperature control to avoid tampering Heater cannot be switched on without fan being in operation Efficient extraction fan for maximum air flow and uniform drying throughout cabinet Unit can cure 25kg of wet product at a time Chamber size: 500 x 450 x 960 Accessories supplied: 10 x galvanised hanging rods 1 x stainless steel drip tray Manufacturer Code: BCB0245	240V	0.75kW	580 x 460 x 1080	43kg	\$ 1150.00
SOUTH AFRICA	BCA1001	Biltong Cabinet – Large  Glass window for product display Unit fitted with anti-bacterial ultraviolet lamp for product protection Locking door handle for security Adjustable thermostat Powerful extraction fan to ensure maximum air flow for uniform drying throughout Heater cannot be switched on without fan being in operation Unit can cure 100kg of wet product at a time Chamber size: 950 x 730 x 1750 Accessories supplied: 24 x galvanised hanging rods 1 x stainless steel drip tray Manufacturer Code: BCB1250  + FREIGHT: DUE TO THE SIZE OF THIS ITEM, PRICE QUOTED IS EX WAREHOUSE SYDNEY	240V	2 x 0.75kW 15A	1000 x 740 x 2015	120kg	\$ 3950.00



#### **BENCHTOP DEHYDRATORS**

	DCT0005	Drying Cabinet – 5 Tray	240V	1.11kW	470 x 270 x 270	4kg	\$ 425.00
ITALY		Structure in ABS and PVC forming drawers in ABS Total surface available to place drying food: 0.43m² forming food		1.5hp			
	DCT0006	Deluxe 6 Drawer Drying Cabinet  Structure in stainless steel and ABS 6 drying drawers in stainless steel Total surface available to place drying food: 0.52m² 5 manual and 7 preset programmes Continuous working time: no limits Standard voltage and frequency: 220-240V/50Hz	240V	1.11kW 1.5hp	470 x 270 x 270	6kg	\$ 685.00
ITALY		Manufacturer's Code: 73500/LAUS					



CHINA



#### RIO ~ POLYCARBONATE JUG BAR BLENDER

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BBN0250	Rio Blender – Polycarbonate  New wave action jug design  2-speed with pulse  Jar pad sensor prevents blender running when jug not in place  Sure grip rubber feet  1.25Lt container  Can blend ice in cocktails but not suitable for frappés and other ice-based drinks  Manufacturer's Code: HBB250-AU	240V	0.45kW	165 x 203 x 406	4kg	\$ 355.00
XBBN0001	Jug for BBN0250  • Manufacturer's Code: 6126-250-CE					\$ 165.50

#### **RIO ~ STAINLESS STEEL JUG BAR BLENDER**



#### **TEMPEST ICE BLENDER**



BT0650	Tempest Blender – Ice  New wave action jug design  Makes daiquiris in 12 seconds  2-speed, jump cycle and pulse	240V	2.2kW	178 x 203 x 457	5kg	\$ 995.00
	Timer with auto shut-off The motor with all metal drive coupling Lt stackable jug Sure grip rubber feet Temperature gauge and special cool-down cycle prevents motor from burning out Manufacturer's Code: HBH650-AU					
3BN1001	Jug for BBT0650  • Manufacturer's Code: 6126-650					\$ 240.00

#### **TEMPEST FOOD BLENDER**


\*2 Years or 20,000 cycles

2 YEAR WARRANTY WARRANTS ON PARTS ON LABOUR*	BBF0600	Tempest Blender – Food  • Wave action jug design  • 3hp motor enables chefs to puree, emulsify, grind, chop, etc.  • Variable speed control for products that need slower or faster blending	240V	2.2kW 3hp	178 x 203 x 457	5kg	\$ 995.00
X	XBBN1001	eg. mayonnaise  Unique one touch chopping function for chopping solid ingredients  Slow pour filler cap to easily add liquid to sauces etc while blending  Same jug as Tempest 650  Manufacturer's Code: HBF600-AU  Juq complete for food blender					\$ 240.00
CHINA		Manufacturer's Code: 6126-650					2 10100



ECLIPSE BLENDER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
2 VEARTY WARRANTS & LABOUR*	BBE0750	Eclipse Blender  High performance blender  New QuietBlend Technology  Pwerful 3Hp motor  Life Time Warrenty on drive coupling and stainless steel blade  Select from 100 pre-programmed cycles  IN/ON counter model  Manufacturer's Code: HBH750-AU	240V	ЗНр	210 x 290 x 470	6kg	\$ 1695.00
Maximus basself	XBBE1001	Spare Jug for Eclipse					\$ 220.00
CHINA							

#### **SUMMIT IN/ON COUNTER**



\*2 Years or 20,000 cycles

#### **JUG FOR NEW 'TEMPEST' & 'SUMMIT' BLENDERS**

XBBN1002	Suits new BBT0650 'Tempest' and BBS0850 'Summit'  • Warranty on jugs is 3 months  • Manufacturer's Code: 6126-650				\$ 240.00	
----------	---	--	--	--	-----------	--

Blender jugs are a consumable item and are not covered by the warranty on the motor. The manufacturer recommends replacing the jugs every 12 months. However this is a guide only and depends on usage, number of jugs in the system and washing methods. Continuing to use jugs once the bearings are worn can result in damage to the motor which will void the warranty.

#### **QUIET SHIELD FOR 'TEMPEST' BLENDERS**

	XBBN0651	Suitable for new and old model 'Tempest' blenders • Manufacturer's Code: SE2-HBH-650 NOTE: Blender <u>not</u> included			\$ 450.00
USA					






MILKSHAKE MIXERS TRIPLE & SINGLE	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
**	HMD0200 XHMD0929 XHMD0930	Supplied with stainless steel cup Sealed and permanently lubricated bearings - 3-speed settings Activates by placing cup in position Manufacturer's Code: HMD200-AU Optional Impellors Frozen Dessert Impellor	240V	0.3kW	165 x 171 x 521	6.3kg	\$ 450.00 \$ 45.00 \$ 45.00
CHINA	HMD0400	Triple Milkshake Mixer  • Supplied with 3 stainless steel cups  • Sealed and permanently lubricated bearings  • 3-speed settings  • Activates by placing cup in position  • Manufacturer's Code: HMD400-AU	240V	0.3kW per motor	318 x 229 x 521	16.7kg	\$ 1350.00

#### **WALL MOUNTED MILKSHAKE MIXER**


	HMD0300	Wall Mounted Milkshake Mixer	240V	0.3kW	101 x 146 x 419	4kg	\$ 750.00
*		Powerful 2 speed motor for fast and efficient mixing Heavy duty die cast, stainless steel construction Removable cup guide and rest Wall mounting kit included Manufacturer's Code: HMD300				9	
CHINA							

CREAM GUNS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
TAIWAN	CGB0001	Cream Gun – 0.5Lt  • Full steel head  • Supplied with floret and decorating nozzles	N/A	N/A			\$ 89.00
	CGB0002	Cream Gun – 1Lt  Full steel head  Supplied with floret and decorating nozzles	N/A	N/A			\$ 99.00

#### **CREAM CHARGERS**



#### **SODA CHARGERS**



#### **SPARE PARTS**






#### **STAINLESS STEEL PRODUCTS**

DRAWERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
NEW! GREECE	DCI0004	4 Drawer Cabinet  • AISI 304 18/8-10 Stainless Steel  • Optional castors  • Perfect as a vacuum sealer stand  • Manufacturer Code: ESS752D	N/A	N/A	520 x 700 x 870	17kg	\$ 850.00

#### **TROLLEYS**

IKOLLEYS							
CHINA	TRS0003	Stainless Steel 3 Tier Trolley  • Square tube frame 25mm x 25mm  • Maximum carrying capacity: 120kg  • Distance between shelves: 270mm  • On castors 2 with brakes  • Supplied in flat pack  • Muffler plate under each shelf to absorb sound  • Rolled ends to prevent any sharp edges or burrs  • Manufacturer Code: YC103B	N/A	N/A	855 x 535 x 930	13kg	\$ 220.00
CHINA	TRS0015	Stainless Steel 15 Tier GN Trolley  • Square stainless steel tube frame 25mm x 25mm  • 125mm high castors  • On castors 2 with brakes  • Supplied in flat pack  • Manufacturer Code: YC215M1	N/A	N/A	385 x 550 x 1735	18kg	\$ 325.00
CHINA	TRS2015	Stainless Steel GN Trolley 2 x 15 Tier • Square stainless steel tube frame 25mm x 25mm • 125mm high castors • On castors 2 with brakes • Supplied in flat pack • Manufacturer Code: YC215M	N/A	N/A	740 x 555 x 1735	30kg	\$ 495.00

#### **PLATFORM TROLLEY**




### STAINLESS STEEL PRODUCTS ICE

GRILL SCRAPERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
INDIA	GBP0001	Stainless Steel Handle Wire Brush Griddle Scraper  • Easily replaceable brush head • Tough, durable and effective • Hook for convenient storage • Profiled, laser cut edge, suits most griddle profiles • Manufacturer Code:	N/A	N/A			\$ 95.00
SOUTH AFRICA	XGBP0001	Replacement brushes  • Manufacturer Code:	N/A	N/A			\$ 10.00

#### **TAPWARE**








#### **GLASS AND DISHWASHERS**



### **ECOLINE**

UNDERCOUNTER GLASSWASHER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	DWA0040	Undercounter Glasswasher  Internal clearance 270mm  2 minute cycle  Double insulated door Rinse aid and detergent pump  2 analogue temperature displays  Stainless steel wash arms  Drain pump  Stainless steel inlet hose  Caleffi pressure control valve  Basket size: 355mm x 430mm supplied  Tank capacity 11ltr - element 2Kw  Boiler capacity 3ltr - element 2.4Kw  1/2 Hp wash pump  Inlet pressure 2-4 bar  Water consumption 2ltr/cycle at 2 Bar  Manufacturer's Code: EC040ks	240V	2.8Kw 15A	495 x 515 x 830	38kg	\$ 2775.00

#### **ECOLINE UNDERCOUNTER DISHWASHER**






## DISHWASHERS ICE

### **FCOLINE PASS**

THROUGH (Hood Type) DISHWASHER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	DWA1000	Pass Through Dishwasher  Internal clearance 420mm  2 cycles 1 minute, 3 minutes  Wash pump, rinse aid and detergent pump  2 analogue temperature displays  Stainless steel wash arms  Double stainless steel mesh filter  Pressure rinse pump  Caleffi pressure control valve  Basket size: 500mm x 500mm, 2 supplied  Tank capacity 20ltr - element 4Kw  Three Phase  Boiler capacity 10ltr - element 9Kw  1 Hp wash pump  Inlet pressure 2-4 bar  Water consumption 2.8ltr/cycle at 2 Bar  Drain Pump  Manufacturer's Code: EC01000ks	400V	9.8Kw 3 Phase 14.2A	650 x 710 x 1490 closed 650 x 710 x 1940 open	130kg	\$ 5995.00
ITALY	DWA1001	Pass Through Dishwasher  • Single Phase  • 4Kw element  • Manufacturer's Code: EC01001ks	240V	4.8Kw 21A	650 x 710 x 1490 closed 650 x 710 x 1940 open	130kg	\$ 5995.00

#### **BOTH ABOVE MODELS NOW SUPPLIED WITH DRAIN PUMP AS STANDARD**

#### **TOPLINE UNDERCOUNTER DISHWASHER**






#### **FRIDGES AND FREEZERS**



UPRIGHT REFRIGERATORS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	EUS1738	Single Split Door Upright Refrigerator 580lt  43°C ambient  0 n castors – 2 lockable, 2 free running Dixell controllers R134a gas Fan forced cooling Auto defrost 4 shelves 0-10°C Rounded internal corners for easy cleaning Door gasket easy to remove and clean Manufacturer's Code: SUF6B2	240V	0.4Kw	738 x 818 x 1980	118kg	\$ 2650.00
CHINA	EUS1142	Double Split Door Upright Refrigerator 1200lt  • 43°C ambient  • On castors – 2 lockable, 2 free running  • Dixell controllers  • R134a gas  • Fan forced cooling  • Auto defrost  • 8 shelves  • 0-10°C  • Rounded internal corners for easy cleaning  • Door gasket easy to remove and clean  • Manufacturer's Code: SUF12B4	240V	0.52Kw	1425 x 818 x 1980	195kg	\$ 3650.00

#### **SHELVES AND GUIDES FOR EUS RANGE**







UPRIGHT FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	EUS2738	Single Split Door Upright Freezer 580lt  43°C ambient -10°C to -22°C  0 n castors – 2 lockable, 2 free running Dixell controllers  R404a gas Fan forced Auto defrost 4 shelves Rounded internal corners for easy cleaning Door gasket easy to remove and clean Manufacturer's Code: SUF6A2	240V	0.68Kw	738 x 818 x 1980	119kg	\$ 2950.00
CHINA	EUS2142	Double Split Door Upright Freezer 1200lt  • 43°C ambient  • -10°C to -22°C  • On castors – 2 lockable, 2 free running  • Dixell controllers  • R404a gas  • Fan forced  • Auto defrost  • 8 shelves  • Rounded internal corners for easy cleaning  • Door gasket easy to remove and clean  • Manufacturer's Code: SUF12A4	240V	0.94Kw	1425 x 818 x 1980	195kg	\$ 4150.00



#### **UNDERCOUNTER FRIDGES**



UNDERCOUNTER FRIDGES	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA **	CUS1500	Undercounter Refrigerator 1500mm Stainless Steel Doors 382lt  • 43°C ambient  • Running temperature 0°-10°C  • On castors – 2 lockable, 2 free running  • Fan cooling  • Digital controller  • Auto defrost  • 2 shelves  • Monobloc Cooling System  • Manufacturer's Code: CWF15M2-76	240V	0.41Kw	1500 x 760 x 850	111kg	\$ 2550.00
CHINA	CUG1500	Undercounter Refrigerator 1500mm Glass Doors 382lt  • 43°C ambient  • Running temperature 0°-10°C  • On castors – 2 lockable, 2 free running  • Fan cooling  • Digital controller  • Auto defrost  • 2 shelves  • Monobloc Cooling System  • Manufacturer's Code: CWF15M2G-76	240V	0.42Kw	1500 x 760 x 850	114kg	\$ 2700.00
CHINA	CUS1800	Undercounter Refrigerator 1800mm Stainless Steel Doors 491lt  • 43°C ambient  • Running temperature 0°-10°C  • On castors – 2 lockable, 2 free running  • Fan cooling  • Digital controller  • Auto defrost  • 2 shelves  • Monobloc Cooling System  • Manufacturer's Code: CWF18M2-76	240V	0.42Kw	1800 x 760 x 850	119kg	\$ 2800.00



# UNDERCOUNTER FREEZERS ICE



UNDERCOUNTER FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA **	CUF1200	Undercounter Freezer 1200mm Stainless Steel Door 228lt  • 43°C ambient  • Running temperature -10°C to -18°C  • On castors – 2 lockable, 2 free running  • Fan cooling  • Digital controller  • Auto defrost  • 1 shelf  • Monobloc Cooling System  • Door opening 610mm wide, requires 688mm clearance  • Manufacturer's Code: K-CWF12M1-76	240V	0.5Kw	1200 x 760 x 850	98kg	\$ 2650.00
CHINA	CUF1800	Undercounter Freezer 1800mm 491lt  43°C ambient  Running temperature -10°C to -18°C  On castors - 2 lockable, 2 free running  Fan cooling  Digital controller  Auto defrost  2 shelves  Monobloc Cooling System  Manufacturer's Code: K-CWF18M2-76	240V	0.525Kw	1800 x 760 x 850	127kg	\$ 3150.00

# REMOVABLE MONOBLOC COOLING SYSTEM





# **GLASS DOOR UPRIGHT**



BEVERAGE COOLERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
*	DFS0380	Single Door Display Refrigerator 380lt  43°C ambient 0-10°C  Fan cooling Auto defrost Self closing door 4 shelves Fluorescent light box with separate switches Lock and key Manual thermostat Digital display Manufacturer's Code: SL-P380WA  Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.	240V	0.38Kw	606 x 620 x 1940	78kg	\$ 1195.00
CHINA	DFS1000	Double Door Display Refrigerator 1000lt  43°C ambient 0-10°C Fan cooling Auto defrost Self closing door fluorescent light box with separate switches Lock and key Carel Controller Digital display Manufacturer's Code: SL-P1000WB-A  Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.	240V	0.75Kw	1130 x 720 x 2023	139kg	\$1995.00





# REFRIGERATED INCREDIENT LINIT


INGREDIENT UNIT	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
Dimensions 88 187	VRX1200	Refrigerated Ingredient Well  Takes 4 x <sup>1</sup> / <sub>3</sub> GN pans or 3 x <sup>1</sup> / <sub>3</sub> + 1 x <sup>1</sup> / <sub>2</sub> size, not supplied  Manufacturer's Code: VRX1200/380	240V	0.19kW	1200 x 395 x 435	43kg	\$ 995.00
395 Inserts 1200 1500	VRX1500	Refrigerated Ingredient Well  Takes 6 x ½ GN pans or 5 x ½ + 1 x ½ size, not supplied  Manufacturer's Code: VRX1500/380	240V	0.19kW	1500 x 395 x 435	48kg	\$ 1095.00
1800 1800 SZZ SEE	VRX1800	Refrigerated Ingredient Well  Interior and exterior stainless steel Supplied with glass in kit form Ambient temperature 38°C Takes 8 x 1/3 GN pans, not supplied Digital controller dixell Adjustable feet Manufacturer's Code: VRX1800/380	240V	0.19kW	1800 x 395 x 435	51kg	\$ 1150.00

# **GRANITA MACHINES**

### FEATURES:

- DC Brushless motor controlled by torque NOT temperature; prevents auger from breaking if product freezes solid
- Auto shut off
- Minimum brix now only 8%

# **GRANITA MACHINES**





# BLAST CHILLERS/FREEZERS



KING TROLLEY range of 20, 40, 80 and 120 tray blast chillers/freezers available on request. These are brought in to order only and are not stock items. 3, 5, 10, 15 and 20 tray are all stock items and are usually available ex stock.

BLAST CHILLERS / FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	BCE3005	Blast Chiller/Shock Freezer 3 Tray  Takes 3 x GN1/1 pans or 3x 600mm x 400mm baking trays  10kg per cycle for chilling  5kg per cycle for freezing  Internal dimensions 340x580x250  3 levels at 70mm apart, optional 35mm spacing  5tainless Steel AISI 304  Rounded internal corners for easy cleaning  CFC free Polyurethane insulation  Easily removable stainless steel supports  Core Probe temperature reading from 90° - 3° C during chilling and from 90° to -18° C during freezing  R404a gas  38° C ambient temperature  Manufacturer Code: ABF03C	240V	0.9kW	640 x 700 x 530	68kg	\$ 4495.00
ITALY	BCE5009	Blast Chiller/Shock Freezer 5 Tray Takes 5 x GN1/1 pans or 5x 600mm x 400mm baking trays 20kg per cycle for chilling 12kg per cycle for freezing Internal dimensions: 605x400x300 5 levels at 70mm apart, optional 35mm spacing Stainless Steel AISI 304 Rounded internal corners for easy cleaning CFC free Polyurethane insulation Easily removable stainless steel supports Core Probe temperature reading from 90° - 3°C during chilling and from 90° to -18°C during freezing R404a gas 43°C ambient temperature Features hard and soft chill options Manufacturer Code: ABF05C	240V	1.2kW	760 x 700 x 850	108kg	\$ 5995.00
ITALY	BCE5010	Blast Chiller/Shock Freezer 5 Tray Takes 5 x GN1/1 pans or 5x 600mm x 400mm baking trays 22kg per cycle for chilling 14kg per cycle for freezing Internal dimensions: 5 levels at 70mm apart, optional 35mm spacing Stainless Steel AISI 304 Rounded internal corners for easy cleaning CFC free Polyurethane insulation Easily removable stainless steel supports Core Probe temperature reading from 90° - 3°C during chilling and from 90° to -18°C during freezing R404a gas 43°C ambient temperature Features hard and soft chill options Manufacturer Code: ABF05P	240V	1.2kW	780 x 800 x 980	128kg	\$ 6495.00
TTALY	BCE9020	Blast Chiller/Shock Freezer 10 Tray  Takes 10 x GN1/1 pans or 10x 600mm x 400mm baking trays 35kg per cycle for chilling 25kg per cycle for freezing Internal dimensions: 10 levels at 70mm apart, optional 35mm spacing Stainless Steel AISI 304 Rounded internal corners for easy cleaning CFC free Polyurethane insulation Easily removable stainless steel supports Core Probe temperature reading from 90° - 3°C during chilling and from 90° to -18°C during freezing R404a gas 43°C ambient temperature Manufacturer Code: ABF10P	240V	2kW 15A	780 x 800 x 1460	173kg	\$8995.00



# BLAST CHILLERS/FREEZERS ICE



BLAST CHILLERS / FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	BCE9130	Blast Chiller/Shock Freezer 15 Tray  Takes 15 x GN1/1 pans or 15x 600mm x 400mm baking trays 55kg per cycle for chilling 35kg per cycle for freezing Internal dimensions: 15 levels at 70mm apart, optional 35mm spacing Stainless Steel AISI 304 Rounded internal corners for easy cleaning CFC free Polyurethane insulation Easily removable stainless steel supports Core Probe temperature reading from 90° - 3°C during chilling and from 90° to -18°C during freezing R404a gas 43°C ambient temperature Supplied without plug. Needs to be installed by electrician Manufacturer Code: ABF15P	400V 3 Phase	3.3kW	780 x 800 x 1840	218kg	\$12500.00
ITALY	BCE9220	Blast Chiller/Shock Freezer 20 Tray Self Contained  Takes 20 x GN1/1 pans or 20x 600mm x 400mm baking trays  T5kg per cycle for chilling  S5kg per cycle for freezing  Internal dimensions: 605 x 400 x 1465  Levels at 70mm apart, optional Smm spacing  Stainless Steel AISI 304  Rounded internal corners for easy cleaning  CFC free Polyurethane insulation  Easily removable stainless steel supports  Core Probe temperature reading from 90° - 3°C during chilling and from 90° to -18°C during freezing  R404a gas  43°C ambient temperature  Features hard and soft chill options  Supplied without plug – must be installed by electrician  Manufacturer Code: ABF20P	400V 3 Phase	4kW	780 x 800 x 2180	225kg	\$15500.00
ITALY	BCE9320	Blast Chiller/Shock Freezer 20 Tray – Remote Installation  Takes 2 x 20 x GN1/1 trolleys  1 x 20GN 2/1 trolley  1 x 20 600 x 400 trolley  1 x 20 600 x 800 trolley  1 x 20 600 x 800 trolley  1 tokey per cycle for freezing  Internal dimensions: 680 x 870 x 1860  10 levels at 70mm apart, optional 35mm spacing  Stainless Steel AISI 304  Rounded internal corners for easy cleaning  CFC free Polyurethane insulation  Easily removable stainless steel supports  Core Probe temperature reading from 90° - 3°C during chilling and from 90° to -18°C during freezing  R404a gas  43°C ambient temperature  Manufacturer Code: ABF20P1	400V 3 Phase	3kW	950 x 1350 x 2180 Room 1392 x 708 x 891 Condensing Unit	225kg 242kg stallation	\$26500.00












GELATO STORAGE	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
1000 1000 1000 1000 1000 1000 1000 100	GEL1000	Gelato Storage Cabinet 875Lt  • Made from stainless steel AISI 304 18/10  • Rounded corners for easy cleaning  • 60mm thick insulation  • Digital controller  • Automatic defrost and evaporation of condensate water  • Self closing door  • R404a Gas  • Supplied with 5 levels of shelves which can accommodate 30 x 5lt ice cream containers. Extra shelves and guides available to increase capacity to 54 x 5lt ice cream containers  • Can go down to -30°C at ambient temperature of 32°C or -24°C at 40°C ambient temperature	240V	1.63kW	790 x 1000 x 2070	165kg	\$6250.00
	XGEL0001	Shelf Guides					\$ 40.00
ITALY	XGEL0002	Shelves to suit GEL1000 (2 shelves per level)			600 x 400		\$ 45.00

# **RETARDER PROVER**






# **UPRIGHT REFRIGERATORS**



UPRIGHT REFRIGERATORS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UFI1170	Single Door Upright Fridge – 654Lt  • European design and manufacture • On castors • Digital controller • Ambient temperature of 40°C • High quality AISI 304/18/8-10 st/steel interior and exterior • Internal corners rounded for ease of cleaning • Self-closing door at 45° or less • Reversible door • R134a gas • Gastronorm size - 2 x 1 size trays (lengthways) • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 22 x 1/1 x 65mm deep pans per door capacity • Supplied with 3 shelves per door • Internal usable space 550 x 660 x 1250mm • Manufacturer Code: CA170/AUS	240V	1.02kW	720 x 855 x 2095  (body is 815mm deep and evaporator tray extends 40mm = 855mm total)  Castors available to reduce height to 2065mm	128kg	\$ 2650.00
GREECE	UFI1140	Double Door Upright Fridge – 1432Lt  • European design and manufacture • On castors • Digital controller • Ambient temperature of 40 °C • High quality AISI 304/18/8-10 st/steel interior and exterior • Internal corners rounded for ease of cleaning • Self-closing door at 45 ° or less • R134a gas • Gastronorm size - 2 x 1 size trays (lengthways) • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 22 x 1/1 x 65mm deep pans per door capacity • Supplied with 3 shelves per door • Internal usable space 550 x 660 x 1250mm per door • Manufacturer Code: CE1140/AUS	240V	1.56kW	1440 x 855 x 2095  (body is 815mm deep and evaporator tray extends 40mm = 855mm total)  Castors available to reduce height to 2065mm	207kg	\$3895.00

All Inomak fridges and freezers feature epoxy coated coils on the evaporator which protect against corrosive agents and bacteria found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.

# **ADDITIONAL SHELVES**






# UPRIGHT FREEZERS ICE



UPRIGHT FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UFI2170	Single Door Upright Freezer – 654Lt  • European design and manufacture • On castors • Digital controller • Ambient temperature of 40°C • High quality AISI 304/18/8-10 st/steel interior and exterior • Internal corners rounded for ease of cleaning • Self-closing door at 45° or less • Reversible door • R404a gas • Gastronorm size - 2 x 1 size trays (lengthways) • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 12V door frame heater • 22 x 1/1 x 65mm deep pans per door capacity • Supplied with 3 shelves per door • Internal usable space 550 x 660 x 1250mm • Manufacturer Code: CB170/AUS	240V	0.79kW	720 x 855 x 2095  (body is 815mm deep and evaporator tray extends 40mm = 855mm total)  Castors available to reduce height to 2065mm	115kg	\$ 3195.00
GREECE	UFI2140	Double Door Upright Freezer – 1432Lt  • European design and manufacture • On castors • Digital controller • Ambient temperature of 40°C • High quality AISI 304/18/8-10 st/steel interior and exterior • Internal corners rounded for ease of cleaning • Self-closing door at 45° or less • R404a gas • Gastronorm size - 2 x 1 size trays (lengthways) • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 12V door frame heater • 22 x 1/1 x 65mm deep pans per door capacity • Supplied with 3 shelves per door • Internal usable space 550 x 660 x 1250mm per door • Manufacturer Code: CF2140/AUS	240V	1.19kW	(body is 815mm deep and evaporator tray extends 40mm = 855mm total)  Castors available to reduce height to 2065mm	175kg	\$ 4500.00

All Inomak fridges and freezers feature epoxy coated coils on the evaporator which protect against corrosive agents and bacteria found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.

# **PATISSERIE KIT**





# **UPRIGHT REFRIGERATORS**



UPRIGHT REFRIGERATORS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
WEW.	UFI1170G	Single Glass Door Upright Fridge – 654Lt  1/3 HP Compressor Stainless Steel AISI 304 18/8-10 interior and exterior Self closing doors at <45° Heated glass Internal LED light 32°C Ambient Digital controller Rounded internal corners for easy cleaning R134a Gas On castors Om castors Om thick injected polyurethane insulation (CFC & HCFC free) 22 x 1/1 x 65mm deep GN pans per door capacity Supplied with 3 shelves Internal usable space 550 x 660 x 1250mm Operating temp 0°C-10°C	240V	245W	720 x 905 x 2095	128kg	\$ 2875.00
GREECE	UF11140G	Double Glass Door Upright Fridge – 1432Lt  • ½ HP Compressor • Stainless Steel AISI 304 18/8-10 interior and exterior • Self closing doors at <45° • Heated glass • Internal LED light • 32°C Ambient • Digital controller • Rounded internal corners for easy cleaning • R134a Gas • On castors • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 22 x 1/1 x 65mm deep GN pans per door capacity • Supplied with 3 shelves per door • Internal usable space 550 x 660 x 1250mm per door • Operating temp 0°C-10°C • Manufacturer Code: CES2140/GL	240V	370W	1440 x 905 x 2095	207kg	\$ 4675.00

All Inomak fridges and freezers feature epoxy coated coils on the evaporator which protect against corrosive agents and bacteria found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.



# UPRIGHT FREEZERS



UPRIGHT FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ACTION TO ACTION AND ACTION ACTIO	UFI2170G	Single Glass Door Upright Freezer – 654Lt  • 3/4 HP Compressor • Stainless Steel AISI 304 18/8-10 interior and exterior • Self closing doors at <45° • Heated glass • Internal LED light • 32°C Ambient • Digital controller • Rounded internal corners for easy cleaning • R404a Gas • On castors • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 22 x 1/1 x 65mm deep GN pans per door capacity • Supplied with 3 shelves • Internal usable space 550 x 660 x 1250mm • Operating temp 0°C to -20°C • Manufacturer Code: CBS170/GL	240V	550W	720 x 905 x 2095	128kg	\$ 3500.00
GREECE	UFI2140	Double Glass Door Upright Freezer – 1432Lt  • 1 HP Compressor • Stainless Steel AISI 304 18/8-10 interior and exterior • Self closing doors at <45° • Heated glass • Internal LED light • 32°C Ambient • Digital controller • Rounded internal corners for easy cleaning • R404a Gas • On castors • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 22 x 1/1 x 65mm deep GN pans per door capacity • Supplied with 3 shelves per door • Internal usable space 550 x 660 x 1250mm per door • Operating temp 0°C to -20°C • Manufacturer Code: CFS2140/GL	240V	735W	1440 x 905 x 2095	207kg	\$5400.00

All Inomak fridges and freezers feature epoxy coated coils on the evaporator which protect against corrosive agents and bacteria found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.





List Price

# **UPRIGHT DISPLAY FRIDGES & FREEZERS**

# SINGLE DOOR DISPLAY FRIDGES & FREEZERS

& FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
THES TUBES	GDJ0640	Single Glass Door Upright Fridge – 520Lt  • 2°C to 10°C  • Fully tropicalised to 40°C ambient temperature  • Double glazed doors  • Heated doors and frames on all models  • Anti-mist function, fan cooling system  • Auto-defrosting digital thermo.  • On castors  • 5 independent shelves per door  • Self evaporating drainage  • Colorbond interior / exterior  • R134a gas  • Manufacturer Code: PLR-TL1DC	240V	0.58kW	640 x 795 x 2060	83kg	\$ 2450.00
TATWAN	GDJ0641	Single Glass Door  Upright Freezer – 520Lt  0°C to -18°C Fully tropicalised to 40°C ambient temperature Triple glazed doors Heated doors and frames on all models Anti-mist function, fan cooling system Auto-defrosting digital thermo. On castors 5 independent shelves per door Self evaporating drainage Colorbond interior / exterior R404a gas Manufacturer Code: PLR-TL1DF	240V	0.889kW	640 x 795 x 2060	89kg	\$ 3195.00

# **DOUBLE DOOR DISPLAY FRIDGES & FREEZERS**



GDJ1260	Double Glass Door <b>Upright Fridge</b> – 1000Lt	240V	0.864kW	1260x795x2060	149kg	\$ 3350.00
	2°C to 10°C     Fully tropicalised to 40°C ambient temperature     Double glazed doors     Heated doors/frames all models     Anti-mist function, fan cooling system     Auto-defrosting digital thermo.     On castors     5 independent shelves per door     Self evaporating drainage     Colorbond interior / exterior     R134a gas     Manufacturer Code: PLR-TL2DC					
GDJ1261	Double Glass Door <b>Upright Freezer</b> – 1000Lt	240V	1.407kW	1270x805x2060	168kg	\$ 5250.00
	O°C to -18°C Fully tropicalised to 40°C ambient temperature Triple glazed doors Heated doors/frames all models Anti-mist function, fan cooling system Auto-defrosting digital thermo. On castors Sindependent shelves per door Self evaporating drainage Colorbond interior / exterior 404a gas Manufacturer Code: PLR-TL2DF					






# **UPRIGHT DISPLAY FRIDGES & FREEZERS**

# THREE DOOR DISPLAY FRIDGES & FRFF7FRS

& FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
MITH EN TIBES	GDJ1880	Three Glass Door Upright Fridge – 1610Lt  • 2°C to 10°C  • Fully tropicalised to 40°C ambient temperature  • Double glazed doors  • Heated doors/frames all models  • Anti-mist function, fan cooling system  • Auto-defrosting digital thermo.  • On castors  • 5 independent shelves per door  • Self evaporating drainage  • Colorbond interior / exterior  • R134a gas  • Manufacturer Code: PLR-TL3DC	240V	1.63kW	1900 x 800 x 2060	220kg	\$ 4750.00
TAIWAN	GDJ1881	Three Glass Door  Upright Freezer – 1500Lt  • 0°C to -18°C  • Fully tropicalised to 40°C ambient temperature  • Triple glazed doors  • Heated doors/frames all models  • Anti-mist function, fan cooling system  • Auto-defrosting digital thermo.  • On castors  • 5 independent shelves per door  • Self evaporating drainage  • Colorbond interior / exterior  • 404a gas  • Manufacturer Code: PLR-TL3DF	240V	1.94kW	1900 x 800 x 2060	243kg	\$7250.00







All Inomak fridges and freezers feature epoxy coated coils on the evaporator which protect against corrosive agents and bacteria found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.



# **UNDERBAR REFRIGERATION**



# WHEN COMPARING UNDERBARS, ALWAYS CHECK VOLUME IN LITRES

# **SLIMLINE UNDERBARS**

SOUTH AFRICA

INDERBARS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
SLIMLINE UNDERBARS 660mm DEEP	UBS6120	Slimline Under Bar (1½ Stainless Steel Doors) 1200mm – 295lt	240V	0.74kW	1200 x <b>660</b> x 900	110kg	\$ 2695.00
-	UBS6180	Slimline Under Bar (2½ Stainless Steel Doors) 1800mm – 480lt	240V	0.74kW	1800 x <b>660</b> x 900	130kg	\$ 2995.00
SOUTH AFRICA	UBS6240	Slimline Under Bar (3½ Stainless Steel Doors 2400mm – 693lt • 2 lockable, 2 free running castors • Stainless steel countertop • Stainless steel back & sides • Self closing doors • 35°C ambient at 70% RH • Heated door mullions • Dixell controller	240V	0.77kW	2400 x <b>660</b> x 900	160kg	\$ 3995.00

# **UNDERBAR** ~ STAINLESS STEEL DOORS

*	UBS1800	Stainless Steel Under Bar (2½ St/Steel Doors) 1800mm – 610Lt	240V	0.74kW	1800 x 760 x 900	145kg	\$ 2995.00
SOUTH AFRICA	UBS2400	Stainless Steel Under Bar (3½ St/Steel Doors) 2400mm – 886Lt • 2 lockable, 2 free running castors • Stainless steel countertop • Stainless steel back & sides • Self closing doors • 35°C ambient at 70% RH • Heated door mullions • Dixell controller	240V	0.77kW	2400 x 760 x 900	175kg	\$ 3995.00

# **UNDERBAR** ~ **GLASS DOORS**

*	UBG1200	Under Bar (1½ Glass Doors) 1200mm – 360Lt	240V	0.8kW	1200 x 760 x 900	115kg	\$ 2895.00
	UBG1800	Under Bar (2½ Glass Doors) 1800mm – 610Lt	240V	0.8kW	1800 x 760 x 900	145kg	\$ 3350.00
SOUTH AFRICA	UBG2400	Under Bar (3½ Glass Doors) 2400mm – 886Lt • 2 lockable, 2 free running castors • Fluoro illuminated • St/steel countertop, back & sides • Self closing doors • 35°C ambient at 70% RH • Heated door mullions • Dixell controller	240V	0.82kW	2400 x 760 x 900	175kg	\$ 4150.00

# **BACK BARS**

BACK BAR SERIES  610mm DEEP	UBG6180	<b>Back Bar</b> 1800mm – <b>535lt</b> • 610mm deep	240V	0.8kW	1800 x 610 x 985	165kg	\$ 3850.00
SOUTH AFRICA	UBG6240	Back Bar 2400mm – 763lt  • 610mm deep  • 2 shelves per door (can hold 3 rows of stubbies per door)  • Castor height 90mm	240V	0.82kW	2400 x 610 x 985	185kg	\$ 4450.00



Model

# UNDERBAR REFRIGERATION ICE

Unit Size (mm)



List Price

### PI77A BARS

PIZZA BAKS							exclusi
A 3 25 7 1	UBP1800	<b>Pizza Bar</b> (2 <sup>1</sup> / <sub>2</sub> Doors) 1800mm – <b>440lt</b>	240V	0.9kW	1800 x 840 x 1100	150kg	\$ 4990.00
Note: these units do not come with pans	UBP2400	Pizza Bar (3½ Doors) 2400mm  - 630lt  • Stainless steel frind back & sides  • Stainless steel fridge doors  • Insulated night lids  • 2 lockable, 2 free running castors  • Rack for working on trays  • Air over top cooling  • Spacers for diff. config. of pans  • 9 x 1/3 inserts - 1800mm  12 x 1/3 inserts - 2400mm  • 35°C ambient at 70% RH	240V	1.25kW	2400 x 840 x 1100	180kg	\$5990.00

Voltage Power

**Product Description** 

# SHELVES FOR 'ANVIL' UNDERBARS

XUBS0540 XUBS0570		N/A N/A	N/A N/A	580 x 540 x 10 580 x 570 x 10	4kg 4kg	\$ 65.00 \$ 65.00
XUBS0588 XUBS0586	(,	N/A N/A	N/A N/A	540 x 430 x 10 570 x 430 x 10	4kg 4kg	\$ 65.00 \$ 65.00
XUBS0530 XUBS0520	Shelves for UBP: 540x440mm (suits Pizza RH door) 570x440mm (suits other Pizza doors)	N/A N/A	N/A N/A	540 x 440 x 10 570 x 440 x 10	4kg 4kg	\$ 65.00 \$ 65.00
XUBS0002	Shelf Clip - set of 4	N/A	N/A	-	-	\$16.00

# **CASTORS FOR UNDERBARS & PIZZA BARS**

XUBS0028	Small Castors with Brakes These castors reduce the overall height of the fridges from 900mm to 870mm in order to fit under a counter Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range			\$ 28.00
XUBS0034	Small Castors with <u>no</u> Brakes • Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range			\$ 24.00
XUBS0031	Tiny Castors with Brakes  These castors reduce the overall height of the fridges from 900mm to 847mm in order to fit under a counter  Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range			\$ 28.00
XUBS0030	Tiny Castors with <u>no</u> Brakes • Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range			\$ 24.00



# **BAR FRIDGE & FREEZER**



UNDERBENCH FRIDGE & FREEZER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	FBC0200	Single Door Fridge 170lt  Stainless steel exterior Reversible door Adjustable feet at front, castors at rear R134a gas Auto defrost Digital control Dixell Door lock standard 3 adjustable shelves 35°C ambient Holds 23 x 2lt milk cartons Food safe plastic interior Interior dimension: Width 505mm Depth 425mm Height 655mm Step at back 130mm deep x 230mm high Manufacturer Code: RCX200	240V	0.096kW	593 x 620 x 832	49kg	\$850.00
	FBCG1200	Single Door Fridge with Glass Door 170lt  • Double glazed  • Internal LED light  • Manufacturer Code: RCXG200	240V	0.096kW	593 x 620 x 832	51kg	\$895.00
CHINA	FBF0201	Single Door Freezer 170lt  Stainless steel exterior Reversible door Adjustable feet at front, castors at rear R134a gas Digital control Dixell Door lock standard 3 fixed shelves 35°C ambient Food safe plastic interior Interior dimension: 659 x 480 x414 Manufacturer Code: RNX200	240V	0.13kW	593 x 620 x 832	51kg	\$895.00
<b>★</b> CHINA	FBFG1201	Single Door Freezer with Glass Door 170lt • Triple glazed • Manufacturer Code: RNXG200	240V	0.13kW	593 x 620 x 832	51kg	\$ 995.00




# COUNTERTOP FRIDGE/FREEZER ICE



COUNTER TOP ICE CREAM FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	CFT0002	Ice Cream Freezer Piccolo  Takes 2 x 6.5 or 7.7lt ice cream containers  O°C to -18°C  R404a gas – 120g  Body in ABS  Copper evaporator  Silent operation  Low energy consumption  Easy to clean  ECO insulation CFC free  30°C ambient temperature  Pans not included  Manufacturer Code: PICCOLO	240V	0.4kW	505 x 680 x 400	25kg	\$ 1995.00
ITALY	CFT0004	Ice Cream Freezer Baby  • Takes 4 x 5lt ice cream containers • 0°C to -18°C  • R404a gas - 120g • Body in ABS • Copper evaporator • Silent operation • Low energy consumption • Easy to clean • ECO insulation CFC free • 30°C ambient temperature • Pans not included • Manufacturer Code: BABY	240V	0.5kW	925 x 505 x 620	32kg	\$ 2650.00

# **COUNTER TOP INGREDIENT FRIDGE**



# **SUSHI DISPLAY FRIDGES**

	SDS1448	Sushi Display Fridge with Cross Fin Coil • 6 x third size containers included (25mm deep) • Manufacturer Code: 9842LA6S	240V	0.2kW	1424 x 395 x 251	50kg	\$ 2850.00
20-90-90-90-90-90-90-90-90-90-90-90-90-90	SDS1776	Sushi Display Fridge with Cross Fin Coil  • Electronic thermostat with digital display  • Rapid cool down time  • 8 x third size containers included (25mm deep)  • R134a gas  • Silent 0.25Hp Hermetic compressor with double ventilated condensor  • Tilting front glass for easy cleaning  • Manufacturer Code: 9842LA8S	240V	0.2kW	1776 x 395 x 251	65kg	\$ 3300.00
SPAIN							





**List Price** 

# **MEPS APPROVED**

# SQUARE GLASS FLOOR MODEL COLD



	Model	Product Description	voltage	Power	Unit Size (mm)	Kg	excl GST
	DSV0730	Showcase Straight Glass (285Lt) - Cold 900mm • Manufacturer Code: M730V	240V	0.644kW	900 x 680 x 1195	185kg	\$ 3695.00
I	DSV0740	Showcase Straight Glass (390Lt) - Cold 1200mm • Manufacturer Code: M740V	240V	0.711kW	1200 x 680 x 1195	225kg	\$ 3950.00
	DSV0750	Showcase Straight Glass (500Lt) - Cold 1500mm • Manufacturer Code: M750V	240V	0.859kW	1500 x 680 x 1195	260kg	\$ 4450.00
	DSV0760	Showcase Straight Glass (610Lt) - Cold 1800mm • Manufacturer Code: M760V	240V	1.045kW	1800 x 680 x 1195	300kg	\$ 4950.00

- All cold vertical cabinets have heated front and top glass and hot air blown onto side glass to prevent condensation
- Double glazed side panels and doors
- Ambient temperature: 32°C at 82% R.H.
- LED strip lighting

- Removable filter on condenser for easy cleaning
- Electronic temperature control and display
- Ventilated cooling system
- Automatic defrost
- Adjustable shelves

# **HOT** (40°C - 75°C)



DHV0730	Straight Glass (285Lt) - Hot 900mm • Manufacturer Code: H730V	240V	0.897kW	900 x 680 x 1195	165kg	\$ 2750.00
DHV0740	Straight Glass (390Lt) - Hot 1200mm • Manufacturer Code: H740V	240V	0.990kW	1200 x 680 x 1195	205kg	\$ 3300.00
DHV0750	Straight Glass (500Lt) - Hot 1500mm • Manufacturer Code: H750V	240V	1.056kW	1500 x 680 x 1195	240kg	\$ 3650.00

# \*Dimensions are a guide only

# Vertical

DSV0730 900mm DSV0740 1200mm DSV0750 1500mm DSV0760 1800mm

# Shelf Length (Top and Middle)

DSV0730 730mm DSV0740 1030mm DSV0750 1330mm DSV0760 1630mm






List Price

Kg

# **MEPS APPROVED**

Power

# **CURVED GLASS**FLOOR MODEL COLD



Voltage



 All cold cabinets have heated front glass and hot air blown onto side glass to prevent condensation

**Product Description** 

- Double glazed side panels and doors
- Ambient temperature: 32°C at 82% R.H.
- LED strip lighting


Model


Removable filter on condenser for easy cleaning

Unit Size (mm)

- Electronic temperature control and display
- Ventilated cooling system
- Automatic defrost
- Adjustable shelves

# **HOT** (40°C - 75°C)





Extended Gold Star Warranty – 2 year parts, 1 year labour.





# **COLD CAKE**

DISPLAY – 4 TIER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	DSV0830	4 Tier Cold Cake Display – 900mm wide – 395lt capacity  • Heated front and top glass and hot air blown onto side glass to prevent condensation  • Double glazed side panels and doors  • Ambient temperature: 32 °C at 82% R.H.  • LED strip lighting  • Auto defrost  • Electronic temperature control and display  • Ventilated cooling system  • Adjustable shelves  • Manufacturer's Code: GL830V	240V	0.639kW	900 x 750 x 1350	215kg	\$ 3850.00
	DSV0840	4 Tier Cold Cake Display – 1200mm wide – 540lt capacity • Manufacturer's Code: GL840V	240V	0.828kW	1200 x 750 x 1350	260kg	\$ 3995.00
	DSV0850	4 Tier Cold Cake Display – 1500mm wide – 685lt capacity • Manufacturer's Code: GL850V	240V	1.037kW	1500 x 750 x 1350	305kg	\$ 4750.00
*:	DSV0860	4 Tier Cold Cake Display – 1800mm wide – 830lt capacity • Manufacturer's Code: GL860V	240V	1.109kW	1800 x 750 x 1350	350kg	\$ 5250.00

# **HOT DISPLAY 4 TIER**

*	DHV0830	4 Tier Hot Display – 900mm wide – 395lt Capacity • Manufacturer's Code: H-GL830V	240V	0.957kW	900 x 750 x 1350	200kg	\$ 2995.00
Image as above but wire grid shelving	DHV0840	4 Tier Hot Display – 1200mm wide – 540lt Capacity • Manufacturer's Code: H-GL840V	240V	1.073kW	1200 x 750 x 1350	240kg	\$ 3450.00

# **REFRIGERATED JUICE DISPENSERS ~ STIRRER TYPE**


CHINA	JDA0001	Single Bowl Juice Dispenser  • Clear food grade polycarbonate bowl (12lt) which is removable for easy cleaning  • Manufacturer Code: COROLLA-1S	240V	0.268kW	230 x 430 x 635	19kg	\$ 875.00
CHINA	JDA0002	Double Bowl Juice Dispenser     Clear food grade polycarbonate bowls (2 x 12lt) which are removable for easy cleaning     Stirrer makes unit suitable for milk-based products and juice with pulp     2-piece non-drip st/steel tap     Manufacturer Code: COROLLA-2S	240V	0.291kW	430 x 430 x 635	28kg	\$ 1150.00



# CAKE DISPLAYS ICE

DISPLAY – 4 TIER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
668 668 179 179 181 191 191 191 191 191 191 19	DSV4730	4 Tier Cold Display – 900mm wide – 410lt capacity  • Heated front and top glass and hot air blown onto side glass to prevent condensation  • Double glazed side panels and doors  • Ambient temperature: 32 °C at 82% R.H.  • LED strip lighting  • Electronic temperature control and display  • Ventilated cooling system  • Automatic defrost  • Adjustable shelves  • Manufacturer's Code: GM730V	240V	0.679kW	900 x 680 x 1500	240kg	\$ 3995.00
	DSV4740	4 Tier Cold Display – 1200mm wide – 560lt capacity • Manufacturer's Code: GM740V	240V	0.864kW	1200 x 680 x 1500	280kg	\$ 4150.00
683 *)	DSV4750	4 Tier Cold Display – 1500mm wide – 710lt capacity • Manufacturer's Code: GM750V	240V	1.046kW	1500 x 680 x 1500	320kg	\$ 4850.00

# **COUNTERTOP CURVED SHOWCASE - COLD**



# **HOT** (+40°C to + 75°C)





# **COUNTERTOP DISPLAYS**



COUNTERTOP SQUARE SHOWCASE – COLD	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
330	DGV0530	Countertop Showcase 900mm (140Lt)  Digital electronic thermostat, auto defrost, defogging function 304 stainless steel interiors  LED strip lighting Low noise Temp diff. among shelves 1*-2*C Ambient temp at 32*C, R.H 82% Gas R134A 2*C-8*C Modern style and design Gastronorm size Manufacturer's Code: A530V	240V	0.443kW	900 x 540 x 790	102kg	\$ 2695.00
0 0	DGV0540	Countertop Showcase 1200mm (190Lt) • Manufacturer's Code: A540V	240V	0.601kW	1200 x 540 x 790	122kg	\$ 2950.00
533 *) CHINA	DGV0550	Countertop Showcase 1500mm (240Lt) • Manufacturer's Code: A550V	240V	0.638kW	1500 x 540 x 790	145kg	\$ 3250.00

# **COUNTERTOP SQUARE SHOWCASE** - HOT (+40°C to + 75°C)

	DGHV0530	Countertop Showcase 900mm (140Lt) • Manufacturer's Code: H-A530V	240V	0.853kW	900 x 540 x 790	80kg	\$ 2400.00
	DGHV0540	Countertop Showcase 1200mm (190Lt) • Manufacturer's Code: H-A540V	240V	0.893kW	1200 x 540 x 790	100kg	\$ 2600.00
CHINA	DGHV0550	Countertop Showcase 1500mm (240Lt) • Manufacturer's Code: H-A550V	240V	0.933kW	1500 x 540 x 790	120kg	\$ 2950.00

# **ICE CREAM DISPLAYS – SHOWCASE & FREEZER**

EWIS	DSI0530	Countertop Showcase Freezer (140Lt)  • 4 x <sup>1</sup> / <sub>3</sub> size GN pans 100mm deep (4 x clear polycarbonate supplied)  • Perfect for scoop or prepacked ice cream  • Heated front glass  • Auto defrost  • Grade 304 Stainless Steel  • LED strip lighting  • 30 ° C ambient temperature  • Manufacturer's Code: F-A530V	240V	0.42kW	900 x 540 x 790	108kg	\$ 3650.00
	DSI0540	Countertop Showcase Freezer (190Lt)  • 5 x ½ size GN pans 100mm deep (5 x clear polycarbonate supplied)  • Manufacturer's Code: F-A540V	240V	0.48kW	1200 x 540 x 790	130kg	\$ 3850.00
**3	DSI0550	Countertop Showcase Freezer (240Lt)  • 7 x <sup>1</sup> / <sub>3</sub> size GN pans 100mm deep (7 x clear polycarbonate supplied)  • Manufacturer's Code: F-A550V	240V	0.573kW	1500 x 540 x 790	152kg	\$ 4350.00



# ICE CREAM MACHINES ICE



ICE CREAM MACHINES	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	IMM0001	L1 Mini Capacity: 0.7kg per batch Stirrer speed: 56rpm Production: up to 2kg/h* Manufacturer Code: MINI	240V	0.15kW	270 x 450 x 300	18kg	\$ 1195.00
ITALY	IMM0002	L2 Stella	240V	0.3kW	510 x 350 x 310	31kg	\$1995.00
ITALY	IMM0003	L3 Giardino Capacity: 2.5kg per batch Stirrer speed: 76rpm Production: up to 8kg/h* Manufacturer Code: GIARDINO	240V	0.56kW	620 x 420 x 430	62kg	\$ 4350.00
TTALY	IMM0003R	L3R Club  • Capacity: 2.5kg per batch • Stirrer speed: 76rpm • Production: up to 8kg/h* • Manufacturer Code: CLUB	240V	0.56kW	420 x 450 x 850	65kg	\$ 4350.00
ITALY	IMM0004	L4 Consul  Capacity: 3.5kg per batch Stirrer speed: 80rpm Production: up to 12kg/h* Manufacturer Code: CONSUL	240V	1.1kW	440 x 600 x 850	105kg	\$ 6950.00

 $<sup>*</sup>Production\ capacity\ is\ a\ guide\ only\ and\ can\ vary\ depending\ on\ sugar\ content,\ alcohol\ content,\ ambient\ temperature\ and\ other\ factors.$ 



# **VACUUM PACK MACHINES**




<b>VACUUM</b>	<b>PACK</b>
<b>MACHINE</b>	S

|--|

# **Out-of-Chamber Models**

# use with channel bags only (VBC)



### **VACUUM SEALERS – CHAMBER MODELS** use with regular bags (VBP) or (VBS) Cooking Bags

TWO EST OF	VM0030E	Vacuum Sealing EVOX  • 8m³/h pump  • Chamber size: 355 x 365 x 184  • Sealing bar size: 306mm  • 2 vacuum levels – storage/cooking  • 4 sealing settings  • Manufacturer Code: EVOX	240V	0.45kW	495 x 600 x 288	29kg	\$ 2650.00
ITALY  MULTIPLE 315	VM00315	Vacuum Sealer Commercial - VM315  • 8m³/h pump • Chamber size: 330 x 335 x 100 • Sealing bar size: 315mm • Manufacturer Code: VM315	240V	0.45kW	435 x 420 x 325	32kg	\$ 3150.00
ITALY	XVM0 2070	Sloping shelf for liquids (optional)					\$ 95.00





VACUUM SEALER Model		Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
<b>Chamber Models</b>	use	with reg	gular baş	gs (VBP) or (VE	3S) Cook	ing Bags	
CHIED WAIL 15	VM00012	Vacuum Sealer Commercial - VM12  • 8m³/h pump • Chamber size: 290 x 400 x 160 • Sealing bar size: 270mm • Manufacturer Code: VM12	240V	0.45kW	405 x 520 x 370	36kg	\$ 3950.00
ITAL	XVM0 2071	Sloping shelf for liquids (optional)					\$ 95.00
VM00016		Vacuum Sealer Commercial - VM16  • 12m³/h pump • Chamber size: 337 x 460 x 165 • Sealing bar size: 315mm • Manufacturer Code: VM16	240V	0.75kW	439 x 550 x 460	51kg	\$ 4995.00
		Gas flush as optional extra					\$ 570.00
ITALY	XVM0 2072	Sloping shelf for liquids (optional)					\$ 125.00
OTTO TOLERAN VIN-13	VM00018	Vacuum Sealer Commercial - VM 18  • 25m³ pump.  • Chamber size: 438 x 435 x 210  • Sealing bar size: 420mm  • Manufacturer Code: VM18	240V	1.2kW	565 x 580 x 510	80kg	\$6995.00
		Gas flush as optional extra					\$ 700.00
ITALY	XVM0 2073	Sloping shelf for liquids (optional)					\$ 135.00
TTALY	VM00053	Vacuum Sealer Commercial - VM 53  • 25m³ pump.  • Chamber size: 485 x 550 x 175  • Dual sealing bars 520mm each down left and right sides of chamber  • Manufacturer Code: VM53	240V	1.5kW	600 x 710 x 500	96kg	\$8800.00
ITALY	VM00020	Vacuum Sealer Commercial - VM 20  • 60m³ pump. • Chamber size: 650 x 535 x 200 • Sealing bar size: 2 x 505mm • Dual bars. • Standard with gas flush. • Standard with soft air. • Supplied without plug. Needs to be installed by electrician • Manufacturer Code: VM20	400V 3Ph	N/A	765 x 710 x 1050	167kg	\$13995.00



# **VACUUM PACK MACHINES & BAGS**



# SOUS VIDE VACUUM SEALERS

	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
T	VMOSV31	Vacuum Sealer Commercial Sous Vide - SV31  • 12m³ pump.  • Chamber size: 344 x 432 x 165 (+190mm deep channel in front of sealing bar for liquids, sauces, etc.)  • Sealing bar size: 315mm  • Digital controls.  • Single stamp for embossing date and batch number on bag  • Gas flush option included  • Manufacturer Code: SV31	240V	0.75kW	465 x 583 x 445	58kg	\$7250.00
	VM0SV41	Vacuum Sealer Commercial - SV41  • 25m³ pump. • Chamber size: 435 x 500 x 180 (190mm deep Channel in front of sealing bar for liquids, sauces, etc.) • Sealing bar size: 420mm • Double date stamp for embossing date and batch number onto bag • Gas flush option included • Manufacturer Code: SV41	240V	1.2kW	545 x 605 x 495	96kg	\$8995.00

VACU	UM BAG SIZES	Packets per carton	Price per packet of 100		
VBP1422	140 x 220mm	10	\$ 8.00		
VBP1823	180 x 230mm	10	\$10.00		
VBP2025	200 x 250mm	10	\$13.00		for use in Chamber Models
VBP2030	200 x 300mm	10	\$15.00 up to	1.0lt	20/70 – 90µ Polyamide/Polyethylene
VBP2535	250 x 350mm	10	\$22.00 up to	1.5lt	Maximum temperature 70°C.
VBP3045	300 x 450mm	5	\$35.00 up to	4.0lt	
VBP4060	400 x 600mm	5	\$55.00 up to	6.0lt	
CHAN	NEL BAG SIZES	Packets per carton	Price per packet of 100		
VBC1623	160 x 230mm	25	\$17.00		
VBC1530	150 x 300mm	20	\$20.00		
VBC2025	200 x 250mm	18	\$24.00		for use in Out-of-Chamber Models 20/80 – 100µ
VBC2030	200 x 300mm	16	\$28.00		Polyamide/Polyethylene
VBC2535	250 x 350mm	10	\$38.00		Maximum temperature 70°C.
/BC2545	250 x 450mm	7	\$55.00		·
/BC3040	300 x 400mm	8	\$65.00		
COOK	ING BAG SIZES	Packets per carton	Price per packet of 100	_	for use in Chamber Model
/BS1520	150 x 200mm	10	\$12.00		machines 15/65 – 80μ
/BS2030	200 x 300mm	10	\$24.00		Polyamide/Polyethylene
/BS2535	250 x 350mm	10	\$35.00		for Sous Vide can handle up
VBS3040	300 x 400mm	5	\$44.00		to 115°C.





- 1. 1.1 The Terms of Trade govern all orders placed by the Applicant and apply to and form part of any contract for the supply of Goods by the Company to the Applicant.
- 1.2 These Terms of Trade replace any previous terms and conditions of trade.
- 2. 2.1 No quotation given by the Company to the Applicant shall constitute an offer.
- 2.2 Orders must be placed by purchase order issued by the Applicant. Any order from the Applicant for the supply of Goods shall not be binding on the Company until accepted by the Company.
- 2.3 Orders must be accompanied by necessary ordering information as requested by the Company.
- 2.4 The prices for the Goods may be varied to the Company's general prices in effect at the requested date of delivery of the Goods notwithstanding any prior orders or sales order acceptances in respect of the Goods.
- 2.5 Prices given in any quotation are applicable to that quotation only and will not apply in any other instance.
- 2.6 Quotations are valid for a period of 30 days from the date of issue by the Company, unless otherwise agreed in writing.
- 2.7 Unless expressly included, the prices given in any quotation, price list or any Invoice and the consideration for any supply under or in connection with the Terms of Trade, do not include GST.
- 2.8 Prices for the Goods will be as stated in each Invoice and are subject to change without notice.
- 3. These Terms of Trade apply to the Applicant and to the Company in respect of Goods ordered by the Applicant. Any terms and conditions set out in the Applicant's order deviating from or inconsistent with these Terms of Trade will not bind the Company notwithstanding any statement by the Applicant in its order that its terms and conditions shall prevail over these Terms of Trade. No variation or modification or substitution of these Terms of Trade shall be binding on the Company unless specifically accepted by the Company in writing.
- 4. The Company accepts no liability for Goods supplied by any third party who has not purchased the Goods directly from the Company.
- 5.1 In relation to deliveries within the Company's nominated metropolitan distribution areas, for orders over \$250.00 (exclusive of GST), the Company shall arrange for the Goods to be delivered F.I.S., except for refrigeration and display cabinets hot or cold.
- 5.2 The Company is not liable for any claims for non fulfilment or late delivery of Goods or for any loss or damage (including consequential loss or damage) suffered by the Applicant arising from delay in delivery or a failure to deliver. The Applicant shall accept and pay for the Goods notwithstanding late delivery.
- 5.3 The Applicant shall upon placing its order advise the Company of the nominated delivery point and requested delivery date.
- 5.4 Unless otherwise agreed by the Applicant and the Company, the Company shall be entitled to deliver the Goods in one or more lots. Where delivery of the Goods is effected by way of part delivery, the Company shall be entitled to invoice the Applicant for pro rata progress payments in respect thereof.
- 5.5 Notwithstanding the Applicant's inability to accept delivery of the Goods, the Company shall be deemed to have delivered the Goods in accordance with these Terms of Trade.
- 5.6 All claims by the Applicant in relation to delivery quantities or loss or damage to the Goods must be made within 7 days of delivery of the Goods, time being of the essence. Any claims made outside this time frame will not be recognised by the Company.
- 6.1 Unless otherwise agreed by the Company in writing, all Goods will be supplied on a cash before delivery basis.
- 6.2 The extension of credit to the Applicant by the Company shall be at the absolute discretion of the Company, which discretion may be varied from time to time, and where extended unless otherwise advised in writing by the Company, the Company requires cash payment in full by the last Business Day which is 30 days following the date of the Invoice. A letter signed by a director of the Company will be sufficient evidence as to the terms of credit applicable to the Applicant at any point in time.
- 6.3 In the event that payment for any Invoice has not been received by the Company within 30 days of Invoice, the Company may, in its discretion:
  - (a) immediately cease any extension of credit; and/or
  - (b) charge the Applicant interest on overdue amounts, such interest to be calculated daily on the balance outstanding; and/or
  - (c) charge to the Applicant all administration and other costs incurred by the Company in relation to collection of outstanding amounts owed by the Applicant to the Company.
- 6.4 The Applicant may not withhold payment or make any deductions from any amount owing without the Company's prior written consent, which consent may be withheld in its absolute discretion.
- 6.5 The Company will forward a statement monthly to those Applicants granted an extension of credit pursuant to clause 6.2.
  - (a) legal and equitable ownership of the Goods;
  - (b) to enter the Applicant's premises or the premises of any associated company or agent where the Goods are located) without liability for trespass or any resulting damage and retake possession of the Goods; and
  - (c) to keep or resell any of the Goods pursuant to clause 8.6(b).
- 6.6 The Applicant must, so long as the Company is entitled to the property in the Goods, store the Goods so that they are clearly identifiable as the property of the Company.
- 6.7 In the event that the Goods are resold by the Applicant, it will be deemed to have done so as agent for the Company and only on the following terms:



- (a) on such disposal or dealing, the Applicant transfers all rights to the proceeds of that disposal or dealing to the Company absolutely;
- (b) the Applicant as bailee and fiduciary of the Goods must hold the proceeds of any sale or dealing of the Goods (to the extent of any liability to the Company in respect of the Goods) in trust for the Company;
- (c) the Applicant must keep separate records of any sale of the Goods and must maintain the proceeds in a separate account; and
- (d) the Applicant must account to the Company for any proceeds from such Goods and must direct any purchasers of the goods to pay the proceeds to the Company.
- 6.8 If payment for the Goods is not made by the Applicant by the due date specified by the Company to the Applicant then the Applicant must return the Goods to the Company on demand. If the Applicant does not return the Goods to the Company within 48 hours of receipt of the demand, the Company shall be entitled to enter upon the Applicant's premises at any time to do all things necessary to recover the Goods. The Applicant shall be liable for all costs associated with the exercise by the Company of its rights under this clause which shall be repayable on demand.

### 7. COMPANY'S WARRANTY

- 7.1 The Goods distributed by the Company are guaranteed against defective workmanship and materials for a period of 12 months from the date of purchase, the Company's obligations pursuant to this express warranty being limited to the repair or replacement of the defective Goods or materials at its option and subject to the terms and conditions stated in the warranty card attached to the Goods. Glass and lamps are not included in this warranty. RCD tripping due to moisture absorption by Tubular Heating Elements is not considered a warranty fault. Hinges, rubber seals or gears acting a sacrificial component to protect motors, are wear and tear items and are not covered by warranty.
- 7.2 Any item that can be picked up and put into a normal vehicle, is covered by a back to base warranty. This means the end user needs to return it (freight pre-paid) to either the place where it was purchased from, or our closest appointed service agent, or back to our head office. A call out for refrigeration and other non portable equipment is covered by an on site warranty during the hours of 8am-5pm Monday to Friday only. Travel costs for on site warranty are limited to 50km from our nearest appointed service agent and are reachable by road.
- 7.3 Except as provided in this clause, the Company shall not be liable for any loss or damage, whether direct or indirect (including consequential losses or damage) arising out of any breach of contract by the Company or any negligence of the Company, its employees or agents.
- 7.4 To the extent permitted by law all implied conditions and warranties are expressly excluded.
- 7.5 The Company will not be liable in respect of any claims for parts damaged in transport, misused by the Applicant or its authorised parties or modified in any way without the approval of the Company.
- 7.6 Any repairs or replacement of defective Goods or materials pursuant to the warranty set out in this clause, must be authorised by a director of the Company prior to any action being taken. The Company reserves the right to reject a warranty claim if it is not completely satisfied with the circumstances under which such fault or defect occurred.
- 7.7 Nothing in these Terms of Trade shall be read or applied so as to exclude, restrict or modify or have the effect of excluding, restricting, modifying any condition warranty guarantee right or remedy implied by law (including the Trade Practices Act 1974 (Commonwealth)) which by law cannot be excluded, restricted or modified.
- 7.8 This warranty does not extend to cover loss of profits or damage to other equipment.
- 7.9 Warranty does not cover products which have been subject to misuse, neglect, unauthorised alteration, incorrect installation, power surges, accident, use of inappropriate chemicals for cleaning, flooding, fire or acts of God.
- 7.10 Failure to honour payments for a notice or non warranty call out by end user, will result in immediate voiding of warranty on that item.
- 7.11 On site warranty covers repairs on site. If customer does not permit repair on their premises, they are responsible for freight to and from site.

# 8. APPLICANT'S WARRANTY AND INDEMNITY

- 8.1 The Applicant acknowledges and warrants to the Company that as at the date of entry into a contract to purchase the Goods, the Applicant is not insolvent nor has he committed any act of bankruptcy or, being a company, knows of no circumstances which would entitle a debenture holder or unsecured creditor to appoint a receiver to petition for winding up of the Applicant or exercise any other rights over or against the Applicant's assets.
- 8.2 Without prejudice to any other rights the Company may have against the Applicant, the Applicant shall indemnify the Company for and save it harmless from any loss, damage or expense incurred by the Applicant as a result of the Applicant:
  - (a) cancelling any order (or part thereof) for the Goods; or
  - (b) breaching these Terms of Trade.

### 9. DEFAULT

Should the Applicant fail to make payment for any Goods supplied by the Company on the dates due for payment or commit a breach of any term of the sale or, being a natural person, commit an act of bankruptcy or, being a corporation, an act or omission enabling the appointment of an administrator, scheme manager, trustee, official manager, receiver, receiver and manager, liquidator or any other person authorised to enter into possession or assume control of any property of the Applicant pursuant to a mortgage or other security, then:

- (a) the right of the Applicant to sell the Goods in the ordinary course of business or otherwise immediately terminates without the need for the Company to provide written confirmation; and
- (b) the Company may without prejudice to any other rights it may have, do any or all of the following:
  - (i) immediately withdraw any credit facilities which may have been extended to the Applicant and require immediate payment of all moneys accrued or owing to the Company.
  - (ii) withhold any further deliveries of Goods or performance of service required under the contract;
  - (iii) in respect of Goods already delivered, enter onto the Applicant's premises to recover and resell same for its own benefits;
  - (iv) suspend and/or terminate performance of any other contracts which the Company has with the Applicant.



### 10. GOODS RETURNED

- 10.1 The Applicant shall inspect the Goods immediately upon delivery and if the Goods are damaged or not otherwise in conformity with the contract relating to their supply shall give written notice to the Company of the details in respect thereof within 7 days of the date of delivery.
- 10.2 Subject to clause 10.3, any Goods the subject of a notice under clause 10.1 shall be left in the state and condition in which they were delivered until such time as the Company or its duly authorised agent has inspected the Goods, such inspection to be carried out within a reasonable time after notification by the Applicant. If the Goods are not so left in the state and condition in which they were delivered, the Applicant shall be deemed to have accepted the Goods and shall pay the purchase price for the Goods to the Company.
- 10.3 Upon receipt of a notice under clause 10.1, the Company will advise a return authorisation number and the mode of transport (clause 10.2) acceptable to the Company. Any Goods returned to the Company will be at the Applicant's entire risk as to loss or damage. In relation to Goods returned to the Company, the Applicant undertakes to follow the Company's instructions, prepay the freight and clearly mark the freight with the return authorisation number advised by the Company.
- 10.4 Deliveries not complying with clause 10.3 will not be accepted by the Company.
- 10.5 Subject to clauses 10.1 and 10.3, valid claims for incorrectly sent Goods will be credited in full. A 20% restocking fee will apply to all Goods returned against orders correctly executed. The Company reserves the right to charge for any cost incurred in such execution.
- 10.6 Subject to clause 10.1 acceptance of the Goods shall be deemed for all purposes to have taken place when delivery has occurred.
- 10.7 In the case of a non-standard manufacture, where a "Confirmation of Non-standard Items" form has been signed, and where orders have been correctly executed, no returns will be accepted.
- 10.8 The Company will charge an additional restocking fee for goods returned out of the original packing.

### 11. DISPUTES

- 11.1 Any disputes between the parties arising from the performance of the provisions of these Terms of Trade must be settled through friendly consultation by the parties. All disputes arising in respect of these Terms of Trade which are not resolved within 30 days of first arising will be finally settled under the Rules of Conciliation and Arbitration of the International Chamber of Commerce by a single arbitrator appointed in accordance with the said Rules. The place of arbitration will be Sydney New South Wales. The procedural law applicable to the arbitration will be that of New South Wales. The decision of the arbitration is final and binding upon both parties.
- 11.2 During the period in which the dispute is being resolved, the parties must continue to perform all of the provisions of these Terms of Trade which are not under dispute and which are able to be performed by the parties.

### 12. SEVERABILITY

All provisions contained in these Terms of Trade shall be construed so as not to be invalid, illegal or unenforceable in any respect but if any such provision on its true interpretation is illegal, invalid or unenforceable that provision may, at the option of the parties, be read down to such extent as may be necessary to ensure that it is not illegal, invalid or unenforceable and as may be reasonable in all circumstances so as to give it a valid operation of the partial character. In the event that any such provision or part thereof cannot be so read down, such provision shall be deemed to be void and severable and the remaining provisions thereof shall not in any way be affected or impaired thereby.

### 13. FORCE MAJEURE

The Company shall not be liable for non-fulfilment or late delivery should actual delivery of the Goods or any parts be delayed in consequence of unforeseen events such as strikes, unforeseen breakdown, of machinery (save where caused by improper maintenance or operation by untrained personnel), suspension of electricity or other relevant power supply, riots, war, robbery, civil commotion, adverse non foreseeable weather conditions, disaster caused by fire and/or water, action of government or port authority, delay of vessel, rail-road embargoes, inability to obtain transportation facilities or due to a failure of an original equipment manufacturer to supply components by the due date.

### 14. APPLICABLE LAW

These Terms of Trade shall be governed by and construed in accordance with the laws in force in the State of New South Wales, Australia and the parties submit to the non-exclusive jurisdiction of the Courts of that State.

### 15. DEFINITIONS

The following words have the following meaning:

"Applicant" means the person or entity purchasing the Goods from the Company.

"Business day" means a day other than a Saturday or Sunday when trading banks in Sydney are open for general banking business.

"Company" means INTERNATIONAL CATERING EQUIPMENT Pty Ltd ABN 29 079 648 918.

"F.I.S." means free into store as referred to in the Incoterms.

"F.O.B." means free on board as referred to in the Incoterms.

"Goods" means all Goods ordered by the Applicant from time to time and supplied by the Company under these Terms of Trade and includes any services forming part of the supply of Goods.

"GST" means goods and services tax or similar value added tax levied or imposed in Australia pursuant to the GST law or otherwise on a supply.

"GST Act" means A New Tax System (Goods and Services Tax) Act 1999 (Commonwealth).

"GST Law" has the same meaning as in the GST Act.

"Incoterms" means the International Rules for the Interpretation of Trade Terms, ICC Publishing S.A., Paris 2000 edition.

"Invoice" means an invoice sent by the Company to the Applicant for payment of the Goods supplied to the Applicant at the request of the Applicant.

"Terms of Trade" means the terms and conditions of trade as set out above.





GASTRONORM SIZES	UNITS
GN1/9: 108 x 176 mm	1 HP = 0.7457 kW
GN1/6: 176 x 162 mm	1 kW = 1.341 HP
GN1/4: 265 x 163 mm	1 Quart = 0.946352 Lt
GN1/3: 325 x 176 mm	1 Litre = 1.056689 Qt
GN1/2: 325 x 265 mm	
GN2/3: 354 x 325 mm	
GN1/1: 530 x 325 mm	
GN2/1: 650 x 530 mm	

# **CONVERSION TABLES**

LENGTHS				
CENTIMETRES	MILLIMETRES	INCHES		
1	= 10	= 0.394		
2	= 20	= 0.737		
3	= 30	= 1.181		
4	= 40	= 1.575		
5	= 50	= 1.969		
6	= 60	= 2.362		
7	= 70	= 2.756		
8	= 80	= 3.150		
9	= 90	= 3.543		
10	= 100	= 3.937		
11	= 110	= 4.331		
12	= 120	= 4.721		

TEMPERATURES			
°F	°C		
225	105		
250	120		
275	130		
300	150		
325	165		
350	180		
375	190		
400	200		
425	220		
450	230		
475	245		

MEASUREMENTS	
16 tablespoons	= 1 cup
12 tablespoons	= 3/4 cup
10 tablespoons	= 2/3 cup
8 tablespoons	= 1/2 cup
6 tablespoons	= 3/8 cup
5 tablespoons	= 1/3 cup
4 tablespoons	= 1/4 cup
2 tablespoons	= 1/8 cup
2 tablespoons + 2 teaspoons	= 1/6 cup
1 tablespoon	= 1/16 cup
2 cups	= 1 pint
2 pints	= 1 quart
3 teaspoons	= 1 tablespoon
48 teaspoons	= 1 cup
250ml	= 1 cup
180ml	= 3/4 cup
120ml	= 1/2 cup
60ml	= 1/4 cup
15ml	= 1 tablespoon
5ml	= 1 teaspoon

WEIGHTS		
1 g	= 1,000 mg	= 0.0353 oz
1 kg	= 1,000 g	= 2.2046 lb
1 t	= 1,000 kg	= 0.9842 ton
1 oz	= 437.5 grains	= 28.35 g
1 lb	= 16 oz	= 0.4536 kg
1 ton	= 20 cwt	= 1.1016t

### **DISCLAIMER**

Whilst every effort is made to bring to you accurate pictures and measurements, errors can and do occur, as well as suppliers can change specification/s. For any product that fabrication is required we would suggest that you contact our offices and confirm dimensions as being correct with anyone of the sales advisors.




# Exclusive distributor of:































# International Catering Equipment Pty Ltd